see Münchau A and Bronstein AM
Brower MC, Price BH. Neuropsychiatry of frontal lobe dysfunction in violent and criminal behaviour: a critical review: *review*, **720**
Buchwald F *see* Fimm B *et al*
Buckley J *see* Duffill J *et al*
Buckwell D *see* Yardley L *et al*
Buell U *see* Krings T *et al*
Bullard J *see* O'Suilleabhain P *et al*
Burns A. Neuropsychiatric phenomena in Alzheimer's disease: *editorial*, **715**
Busch R *see* Gündel H *et al*
Butler M *see* Meinck H-M *et al*
Butters M *see* McCauley SR *et al*
Buttner U *see* Eisensehr I *et al*

Cadge B *see* Hill D *et al*
Calabrese E *see* Casadei VM *et al*
Caltagirone C *see* Carlesimo GA *et al*
Cameron LA *see* Shergill SS *et al*
Campbell IC *see* Garofalo O *et al*
Camu W *see* Jafari H *et al*
Cantello R *see* Civardi C *et al*
Caplan LR. Evidence based medicine: concerns of a clinical neurologist, **569**
Capllonch I *see* García-Toro M *et al*
Cappa A *see* Bien CG *et al*
Cardosa MJ *see* Wong SC *et al*
Carelli V *et al.* Leber's hereditary optic neuropathy (LHON/11778) with myoclonus: report of two cases, **813**
Carlesimo GA *et al.* Selective sparing of face learning in a global amnesic patient, **340**
Cartlidge N. States related to or confused with coma: *Neurology in practice*, **i18**
Casadei VM *et al.* Prion protein gene polymorphism and Alzheimer's disease: one modulatory trait of cognitive decline?: *letter*, **279**
Castello E *see* Bandini F *et al*
Castiglioni P *see* Conci F *et al*
Cataldi ML *see* Patti F *et al*
Ceballos-Baumann AO *see* Gündel H *et al*
Ceravolo R *see* Siciliano G *et al*
Cerrato P *et al.* Complex musical hallucinosis in a professional musician with a left subcortical haemorrhage: *letter*, **280**
Chacko G *see* Pandian JD and Chacko G
Chakrabarty A *see* Reuber M *et al*
Chambers IR *et al.* Clinical comparison of the Spiegelberg parenchymal transducer and ventricular fluid pressure, **383**
Chan D *et al.* A disorder of colour perception associated with abnormal colour after-images: a defect of the primary visual cortex, **515**
Chataway J *et al.* Multiple sclerosis in sibling pairs: an analysis of 250 families, **757**
Chataway SJS *see* Broadley SA *et al*
Chaudhuri KR *see* Placzek MR *et al*
Chaudhuri KR *et al.* Restless legs syndrome: *editorial*, **143**
Chen W *see* Kamba M *et al*
Chevret S *see* Raphael J-C *et al*
Chinn J *see* Levinson A and Chinn J
Chollet F *see* Roux F-E *et al*
Christodoulou C *et al.* Functional magnetic resonance imaging of working memory impairment after traumatic brain injury, **161**
Chua R *et al.* Randomised controlled trial of telemedicine for new neurological outpatient referrals, **63**
Chui HC *see* Du AT *et al*
Chukwudelunzu FE *et al.* Extensive metabolic and neuropsychological abnormalities associated with discrete infarction of the genu of the internal capsule, **658**
Chuma T *see* Kanno M *et al*
Cipolla-Neto J *see* Peres MFP *et al*
Civardi C *et al.* Cortical excitability and sleep deprivation: a transcranial magnetic stimulation study, **809**
Clarke A *see* Tubridy N *et al*
Clatterbuck RE *et al.* Ultrastructural and immunocytochemical evidence that an incompetent blood-brain barrier is related to the pathophysiology of cavernous malformations, **188**
Clayton D *see* Broadley SA *et al*
see Chataway J *et al*
Clifford-Jones RE *see* Bajaj NPS *et al*
Clifton GL *see* McCauley SR *et al*
Clusmann H *et al.* Fixed and dilated pupils after trauma, stroke, and previous intracranial surgery: management and outcome, **175**
Coakley JH *see* Thaventhiran J *et al*
Colchester A *see* Kopelman MD *et al*
Colchester A *et al.* Structural MRI volumetric analysis in patients with organic amnesia, 1: methods and comparative findings across diagnostic groups, **13**
Cole M. Charles Bonnet syndrome: an example of cortical dissociation syndrome affecting vision?: *correspondence*, **134**
Coles A *see* Broadley SA *et al*
Collie D *see* Wardlaw JM *et al*
Collier D *see* Holmes C *et al*
Colombo G *see* Wirz M *et al*
Columbo A *see* Rossi S *et al*
Comes E *see* Arboix A *et al*
Comi G *see* Volonté MA *et al*
Compston A *see* Chataway J *et al*
Compston DAS *see* Broadley SA *et al*
Conci F *et al.* Blood pressure and heart rate variability and baroreflex sensitivity before and after brain death, **621**
Coraddu F *see* Broadley SA *et al*
Corral J *see* Zarranz JJ *et al*
Countryman S *see* Ramig LO *et al*
Couratier P *see* Jafari H *et al*
Cox T *see* Tubridy N *et al*
Craig J *see* Chua R *et al*
Crain BJ *see* Clatterbuck RE *et al*
Crane BT *see* Wiest G *et al*
Creasey H *see* Waite LM *et al*
Crols R *see* Verschueren H and Crols R
Crosby AH *see* Mead SH *et al*
Crozier IG *see* Jardine D *et al*
Cruccu G *see* Iannetti G *et al*
Crutch SJ *see* Chan D *et al*
Cruz-Flores S *see* de A A Gondim F *et al*
Cullinane M *see* Lythgoe D *et al*
Cummings JL *see* Paulsen JS *et al*
Currie LJ *et al.* Maternal age is not a risk factor for Parkinson's disease: *letter*, **130**
Dartigues JF *see* Helmer C *et al*
Davidsson P *see* Andreasen N *et al*
Davies R *see* Yardley L *et al*
de A A Gondim F *et al.* "Fou rire prodromique" as the presentation of pontine ischaemia secondary to vertebrobasilar stenosis, **802**
Deans J *see* Chataway J *et al*
de Bie RMA *et al.* Outcome of unilateral pallidotomy in advanced Parkinson's disease: cohort study of 32 patients, **375**
de Bont B *see* Defresne P *et al*
Decamilli P *see* Meinck H-M *et al*
Deckert M *see* Schlegel U *et al*
de Craen AJM *see* van Exel E *et al*
Defresne P *et al.* Efficacy of high dose steroid therapy in children with severe acute transverse myelitis, **272**
de Haan GJ *see* Edelbroek PM *et al*
de Haan RJ *see* de Bie RMA *et al*
de Jaegere T *see* Luijckx GJ and de Jaegere T
de Jager AEJ *see* Kuipers-Upmeijer J *et al*
del Rio MS *see* Peres MFP *et al*
de La Lama A *see* Ayuso-Peralta L *et al*
Deluca J *see* Christodoulou C *et al*
Delvaux V *et al.* Reduced excitability of the motor cortex in untreated patients with de novo idiopathic "grand mal" seizures, **772**
Delwaide PJ *see* Delvaux V *et al*
Demer JL *see* Wiest G *et al*
de Noordhout AM *see* Delvaux V *et al*
de Pasqua V *see* Delvaux V *et al*
der Wiel AB *see* van Exel E *et al*
Desgranges B *see* Meguro K *et al*
de Silva R *see* Senanayake B and de Silva R
de Visser M *see* Rosenberg NR *et al*
de Vries J *et al.* Intraoperative values of S-100 protein, myelin basic protein, lactate, and albumin in the CSF and serum of neurosurgical patients, **671**
Dewey RB *see* O'Suilleabhain P *et al*
Diamond BJ *see* Christodoulou C *et al*
Dietz V *see* Wirz M *et al*
di Rienzo M *see* Conci F *et al*
Doerfler A *see* Wanke I *et al*
see Rubens O *et al*
Dorrego F *see* Kuzis G *et al*
Douglas NJ. The sleepy patient: *Neurology in practice*, **i3**
Drachman DA *see* Selim M and Drachman DA
Du AT *et al.* Magnetic resonance imaging of the entorhinal cortex and hippocampus in mild cognitive impairment and Alzheimer's disease, **441**
Duffill J *et al.* Prospective study of omental transposition in patients with chronic spinal injury, **73**
Duncan J *see* Meador KJ *et al*

Easton V *see* White PM *et al*
Eberhart CG *see* Clatterbuck RE *et al*
Ebers GC. Natural history of multiple sclerosis: *Neurology in practice*, **ii16**
Edelbroek PM *et al.* Change in oxcarbazepine (Trileptal®) formulation is associated with more side effects and higher blood concentrations: *correspondence*, **708**
Eglite M *see* Rubens O *et al*
Eisensehr I *et al.* Absence of nystagmus during REM sleep in patients with vestibular neuritis, **386**
Elger CE *see* Bien CG *et al*
Els T *see* Ernestus R-I *et al*
Enblad P *see* Frykholm P *et al*
Engberg AW *see* Teasdale TW and Engberg AW
Ernestus R-I *et al.* Polyamine metabolism in brain tumours: diagnostic relevance of quantitative biochemistry, **88**

Eustache F *see* Meguro K *et al*

Faber L *see* Meinck H-M *et al*
Fabrigoule C *see* Helmer C *et al*
Fabrizio E *see* Bonifati V *et al*
Faccani G *see* Rizzone M *et al*
Fadda L *see* Carlesimo GA *et al*
Fadic R *see* Luco C *et al*
Farrow T *see* Grünewald RA *et al*
Fazio F *see* Volonté MA *et al*
Feinmann C *see* Madland G and Feinmann C
Fenger K *see* Jennum P *et al*
Ferner R *see* Tubridy N *et al*
Ferrari R *see* Pearce JMS and Ferrari R
Ferrer I *see* Sastre-Garriga J *et al*
Ferri C *see* Casadei VM *et al*
Feuerstein T *see* Langemann H *et al*
Fimm B *et al.* Asymmetries of visual attention after circumscribed subcortical vascular lesions, **652**
Fimmers R *see* Schlegel U *et al*
Fischer D *et al.* Cervical spondylotic myelopathy and Kennedy syndrome mimicking amyotrophic lateral sclerosis: *letter*, **414**
Fitzpatrick R *see* Hobart J *et al*
see Jenkinson C *et al*
Fleminger S, Ring H. Advances in neuropsychiatry: *editorial*, **712**
Fließbach K *see* Schlegel U *et al*
Foltys H *see* Krings T *et al*
Forsting M *see* Wanke I *et al*
Fowler CJ *see* Hussain IF *et al*
Fowler CJ. Videodynamic and sphincter motor unit potential analyses in Parkinson's disease and multiple system atrophy: *editorial*, **575**
Franceschi M *see* Casadei VM *et al*
Fraser M *see* Chataway J *et al*
Freeman J *see* Hobart J *et al*
Frijns C *see* Al-Shahi R *et al*
Frisby J *et al.* Brain stem compression by a giant vertebrobasilar aneurysm mimicking seronegative myasthenia: *lesson of the month*, **125**
Frykholm P *et al.* Increase of interstitial glycerol reflects the degree of ischaemic brain damage: a PET and microdialysis study in a middle cerebral artery occlusion-reperfusion primate model, **455**
Fuglsang-Frederiksen A *see* Jennum P *et al*
Fujigasaki H *et al.* Preferential recruitment of ataxin-3 independent of expanded polyglutamine: an immunohistochemical study on Marinesco bodies, **518**
Fuller GN *see* Bone I and Fuller GN
see Overell J *et al*
Fuller GN, Bone I. Disease modifying treatment in multiple sclerosis: *Neurology in practice*, **ii20**
Neurology in practice: multiple sclerosis: *Neurology in practice*, **i1**
Furuya T *see* Ishiai S *et al*

Gainotti G *see* Bien CG *et al*
Gainotti G *et al.* Relation between depression after stroke, antidepressant therapy, and functional recovery, **258**
Galeotti F *see* Iannetti G *et al*
Gallo P *see* Perini P and Gallo P
Ganderton R *see* Holmes C *et al*
Ganesan V *see* Lascelles K *et al*
García-Eroles L *see* Arboix A *et al*
García-Toro M *et al.* Prefrontal repetitive transcranial magnetic stimulation as add on treatment in depression, **546**
Gardner M *see* Yardley L *et al*
Garofalo O *et al.* Variant Creutzfeldt-Jakob disease is not associated with individual abilities to metabolise organophosphates: *letter*, **558**
Garratt A *see* Jenkinson C *et al*
Geesink HH *see* Edelbroek PM *et al*
Gérard P *see* Delvaux V *et al*
Ghaemi M *see* Hilker R *et al*
Giffin NJ, Goadsby PJ. Basilar artery aneurysm with autonomic features: an interesting pathophysiological problem, **805**
Gilad R *et al.* Quantitative anal sphincter EMG in multisystem atrophy and 100 controls, **596**
Giladi N *see* Gilad R *et al*
Gilden DH *see* Sweeney CJ and Gilden DH
Gilsbach JM *see* Krings T *et al*
Giraudo M *see* Cerrato P *et al*
Glasmacher A *see* Schlegel U *et al*
Goadsby PJ *see* Giffin NJ and Goadsby PJ
Goldfader PR *see* McCauley SR *et al*
Goldstein LH *see* Newsom-Davis IC *et al*
Gómez-Esteban JC *see* Zarranz JJ *et al*
González A *see* García-Toro M *et al*
Good CD *see* Münchau A *et al*
Goodman G *see* Colchester A *et al*
see Kopelman MD *et al*
Görzer H *see* Melling M *et al*
Gottfries J *see* Andreasen N *et al*
Graff-Radford NR *see* Chukwudelunzu FE *et al*
Graham DI *see* Adams JH *et al*
Graham J *see* Hill D *et al*
Grasso M *see* Cerrato P *et al*
Gratzl O *see* Langemann H *et al*
Gray J *see* Broadley SA *et al*
Grayson DA *see* Waite LM *et al*
Greenwood R *see* Thaventhiran J *et al*
Gregson B *see* Nissen JJ *et al*
Grimaldi LME *see* Casadei VM *et al*
see Casadei VM *et al*
Grunewald RA *et al.* A magnetic resonance study of complicated early childhood convulsion, **638**
Gundel H *et al.* Social phobia in spasmodic torticollis, **499**
Gurevich T *see* Gilad R *et al*
Gussekloo J *see* van Exel E *et al*

Haas LF. Christjaan Eijkman (1858–1930), **230**
Emil Adolph von Behring (1854–1917) and Shibasaburo Kitasato (1852–1931), **62**
Jean Martin Charcot (1825–93) and Jean Baptiste Charcot(1867–1936), **524**
Phineas Gage and the science of brain localisation, **761**
Robert Debre (1882–1978), **670**
Willem Einthoven (1860–1927), **407**
Hamamoto M *see* Ueda M *et al*
Hamilton JM *see* Paulsen JS *et al*
Harboun M *see* Raphael J-C *et al*
Harrison MB *see* Currie LJ *et al*
Hashikura Y *see* Ikeda S *et al*
Hashimoto T *see* Shirane S *et al*
Hata N *see* Inao S *et al*
Hattori N *see* Koike H *et al*
see Mori K *et al*
Hattori T *see* Sakakibara R *et al*
see Sakakibara R *et al*
Hayashi A *see* Kubota Y *et al*
Hayashi T *see* Yogo Y *et al*
Heilpern G *see* Colchester A *et al*
see Kopelman MD *et al*
Helmer C *et al.* Occupation during life and risk of dementia in French elderly community residents, **303**
Helmstaedter C *see* Bien CG *et al*
see Schlegel U *et al*
Henderson N *see* Bajaj NPS *et al*
Henkel K *see* Tschampa HJ *et al*
Hew JM *see* Kuipers-Upmeijer J *et al*
Hewes D *see* Lascelles K *et al*
Higami S *see* Kamba M *et al*
Hilkens PHE *see* Reinders JWC *et al*
Hilker R *et al.* Health related quality of life is improved by botulinum neurotoxin type A in long term treated patients with focal dystonia, **193**
Hill D *et al.* Cochlear implantation in a profoundly deaf patient with MELAS syndrome: *letter*, **281**
Hillered L *see* Frykholm P *et al*
Hirai S *see* Fujigasaki H *et al*
see Kubota M *et al*
Hirata K *see* Koga M *et al*
Hirayama M *see* Koike H *et al*
Hobart JC, Thompson AJ. The five item Barthel index, **225**
Hobart J *et al.* The SF-36 in multiple sclerosis: why basic assumptions must be tested, **363**
Hodges JR *see* Bak TH *et al*
Hoehn M *see* Ramig LO *et al*
Holmes A *see* Hu Y *et al*
Holmes C *et al.* Psychosis and aggression in Alzheimer's disease: the effect of dopamine receptor gene variation, **777**
Houx P *see* van Exel E *et al*
Howard R *see* Tubridy N *et al*
Hoyt WF *see* Kline LB and Hoyt WF
Hsu YY *see* Du AT *et al*
Hu Y *et al.* Prevention of spinal cord injury with time-frequency analysis of evoked potentials: an experimental study, **732**
Hughes RAC. Diagnosis of chronic peripheral neuropathy: *commentary*, **147**
Humphrey P *see* Wardlaw JM *et al*
Hunter JV. Are two heads better than one?: *commentary*, **147**
Hussain IF *et al.* Treatment of erectile dysfunction with sildenafil citrate (Viagra) in parkinsonism due to Parkinson's disease or multiple system atrophy with observations on orthostatic hypotension, **371**
Hutchinson P, Kirkpatrick P. What is the most sensitive non-invasive strategy for the diagnosis of intracranial aneurysms?: *commentary*, **289**

Iannetti G *et al.* Usefulness of dorsal laser evoked potentials in patients with spinal cord damage: report of two cases, **792**
Ibáñez J *see* Benabarre A *et al*
Ibarra O *see* García-Toro M *et al*
Ibarrola D *see* Roux F-E *et al*
Ichimura M *see* Koike H *et al*
see Mori K *et al*

Ikeda S *et al.* Type II (adult onset) citrullinaemia: clinical pictures and the therapeutic effect of liver transplantation, **663**
Ikegami T *see* Ikeda S *et al*
Ikejiri Y *see* Nishikawa T *et al*
Ikram H *see* Jardine D *et al*
Imai T *see* Tagawa A *et al*
Imperiale D *see* Cerrato P *et al*
Inao S *et al.* Relation between brain displacement and local cerebral blood flow in patients with chronic subdural haematoma, **741**
Ince P *see* Münch C *et al*
Inman CG. Long term effects of locomotor training in spinal humans: *commentary*, **6**
Inoue Y *see* Kamba M *et al*
Ishiai S *et al.* Conflict and integration of spatial attention between disconnected hemispheres, **472**
Ishida F *see* Kanamaru K *et al*
Ishikawa K *see* Sodeyama N *et al*
Isobe T *see* Inao S *et al*
Ito H *see* Koike H *et al*
Ito S *see* Koike H *et al*
Itoh H *see* Murata T *et al*
Itoh Y *see* Sodeyama N *et al*
see Sodeyama N *et al*
Iudice A *see* Siciliano G *et al*
Iwabuchi K *see* Fujigasaki H *et al*
Iwai M *see* Ikeda S *et al*
Iwata T *see* Sodeyama N *et al*
Iyegbe C *see* Garofalo O *et al*

Jacobs A *see* Hilker R *et al*
Jafari H *et al.* Motor neuron disease after electric injury, **265**
Jagust WJ *see* Du AT *et al*
Jamshidi J *see* Nishikawa T *et al*
Jansen GH *see* Al-Shahi R *et al*
Jardine D *et al.* Paroxysmal hypertension during a complex partial seizure: *letter*, **132**
Jaspan T *see* Frisby J *et al*
Jellinger KA. Dementia as a complication of schizophrenia: *correspondence*, **707**
Jenkinson C *et al.* Can item response theory reduce patient burden when measuring health status in neurological disorders? Results from Rasch analysis of the SF-36 physical functioning scale (PF-10), **220**
Jennett B *see* Adams JH *et al*
Jennum P *et al.* Motor evoked potentials from the external anal sphincter in patients with autosomal dominant pure spastic paraplegia linked to chromosome 2p: *letter*, **561**
Jensen LN *see* Jennum P *et al*
Jiménez-Jiménez FJ *see* Ayuso-Peralta L *et al*
Jinnah HA *see* Kasim S *et al*
Johkura K *et al.* Sustained downgaze in coma after cardiac arrest: *letter*, **278**
Johnson MH. Assessing confused patients: *Neurology in practice*, **i7**
Johnson N. Cognitive function in the oldest old: women perform better than men: *commentary*, **6**

Kabeya R *see* Inao S *et al*
Kadhim H *see* Defresne P *et al*
Kado H *see* Murata T *et al*
Kaji R *see* Kubota Y *et al*
Kalnin AJ *see* Christodoulou C *et al*
Kamba M *et al.* Cerebral metabolic impairment in patients with obstructive sleep apnoea: an independent association of obstructive sleep apnoea with white matter change, **334**
Kanamaru K *et al.* Splitting and penetration of the optic nerve by an aneurysm arising from the anterior wall of internal carotid artery: case report, **525**
Kanazawa I *see* Yogo Y *et al*
Kanno M *et al.* Monitoring an electroencephalogram for the safe application of therapeutic repetitive transcranial magnetic stimulation: *letter*, **559**
Kapaki E *et al.* Highly increased CSF tau protein and decreased β-amyloid (1–42) in sporadic CJD: a discrimination from Alzheimer's disease?, **401**
Kareken DA *see* McCauley SR *et al*
Karimian-Teherani D *see* Melling M *et al*
Kasim S *et al.* Phenylketonuria presenting in adulthood as progressive spastic paraparesis with dementia, **795**
Katayama Y *see* Ueda M *et al*
Kawaguchi N *see* Sakakibara R *et al*
Kawai T *see* Inao S *et al*
Kawasaki S *see* Ikeda S *et al*
Kemeny S *see* Fimm B *et al*
see Krings T *et al*
Kendall B *see* Colchester A *et al*
see Kopelman MD *et al*
Kennard C, *editor* . Getting our *Journal* to developing countries: *editorial*, **711**
Kilidireas K *see* Kapaki E *et al*
Kimura H *see* Murata T *et al*
Kimura J. Long and short of nerve conduction measures: reproducibility for sequential assessments: *editorial*, **427**
Kingsley D *see* Colchester A *et al*
see Kopelman MD *et al*
Kirkpatrick P *see* Hutchinson P and Kirkpatrick P
Klein C *see* Pollak L *et al*
Kleinschmidt R *see* Schlegel U *et al*
Kiekner A *see* Ernestus R-I *et al*
Kline LB, Hoyt WF. The Tolosa-Hunt syndrome, **577**
Klockgether T *see* Fischer D *et al*
see Schlegel U *et al*
Klotz P *see* Agelink MW *et al*
Klug N *see* Ernestus R-I *et al*
Knook DL *see* van Exel E *et al*
Kobayashi K *see* Ikeda S *et al*
Kofler M, Strauss C. Postoperative hearing loss due to venous congestion at the inferior colliculus, or cochlear dysfunction?: *correspondence*, **135**
Koga M *et al.* Range of cross reactivity of anti-GM1 IgG antibody in Guillain-Barré syndrome, **123**
Kogure D *see* Shirane S *et al*
Koike H *see* Mori K *et al*
Koike H *et al.* Postgastrectomy polyneuropathy with thiamine deficiency, **357**
Kokla A *see* Poulas K *et al*
Koller WC *see* Lyons KE *et al*
Komatsuzaki Y *see* Sodeyama N *et al*
Komiyama A *see* Johkura K *et al*
Komiyama M, Yasui T. Accessory middle cerebral artery and moyamoya disease: *letter*, **129**
Kopelman MD *see* Colchester A *et al*
Kopelman MD *et al.* Structural MRI volumetric analysis in patients with organic amnesia, 2: correlations with anterograde memory and executive tests in 40 patients, **23**
Kopp N *see* Garofalo O *et al*
Korczyn AD *see* Gilad R *et al*
Korinth M *see* Krings T *et al*
Koyama Y *see* Ishiai S *et al*
Koyano S *see* Fujigasaki H *et al*
Kramer JH *see* Du AT *et al*
Krauss GL *see* Moriarity JL *et al*
Kravale I *see* Rubens O *et al*
Kretzschmar HA *see* Tschampa HJ *et al*
Krings T *et al.* Metabolic and electrophysiological validation of functional MRI, **762**
Kubo S, Nakata H. Air embolism due to a patent foramen ovale visualised by harmonic contrast echocardiography, **555**
Kubota M *et al.* Alcohol consumption and frontal lobe shrinkage: study of 1432 non-alcoholic subjects, **104**
Kubota Y *et al.* Obsessive-compulsive characteristics in patients with writer's cramp: *letter*, **413**
Kuipers-Upmeijer J *et al.* Primary lateral sclerosis: clinical, neurophysiological, and magnetic resonance findings, **615**
Kuno S *see* Mizuta I *et al*
Kuntzer T *see* Michel P *et al*
Kuroda Y *et al.* Homozygous deletion mutation of the parkin gene in patients with atypical parkinsonism, **231**
Kuroiwa Y *see* Johkura K *et al*
Kusaka T *see* Kubota M *et al*
Kuwabara S *see* Sakakibara R *et al*
Kuzis G *see* Merello M *et al*
Kuzis G *et al.* Neuropsychological effects of pallidotomy in patients with Parkinson's disease: *letter*, **563**

Laakso MP *see* Du AT *et al*
Lambert J *see* McCauley SR *et al*
Lamers KJB *see* de Vries J *et al*
Lamping D *see* Hobart J *et al*
Landeau B *see* Meguro K *et al*
Landrieu P *see* Defresne P *et al*
Lang D *see* Duffill J *et al*
Lange G *see* Christodoulou C *et al*
Langemann H *et al.* Microdialytical monitoring of uric and ascorbic acids in the brains of patients after severe brain injury and during neurovascular surgery, **169**
Långström B *see* Frykholm P *et al*
Lanotte M *see* Rizzone M *et al*
Lanzi R *see* Volonté MA *et al*
Lascelles K *et al.* An unexpected consequence of a roller coaster ride, **704**
Lasserson D *see* Colchester A *et al*
see Kopelman MD *et al*
Leigh PN *see* Newsom-Davis IC *et al*
Leiguarda R *see* Merello M *et al*
Lemestric C *see* Meguro K *et al*
Lenz FA *see* Moriarity JL *et al*
Leong JCY *see* Hu Y *et al*
Letenneur L *see* Helmer C *et al*
Levin HS *see* McCauley SR *et al*
Levinson A, Chinn J. Lead poisoning from complementary and alternative medicine in multiple sclerosis: *correspondence*, **281**
Lewis G. Mental health after head injury: *editorial*, **431**
Lewis SC *see* Wardlaw JM *et al*

Lhatoo SD *et al.* The dynamics of drug treatment in epilepsy: an observational study in an unselected population based cohort with newly diagnosed epilepsy followed up prospectively over 11–14 years, **632**
Licastro F *see* Casadei VM *et al*
Liguori R *see* Carelli V *et al*
Lindeiner HV *see* Eisensehr I *et al*
Liu W-C *see* Christodoulou C *et al*
Lo YL, Ratnagopal P. Transcranial magnetic stimulation studies in the Miller Fisher syndrome: evidence of corticospinal tract abnormality, **210**
Lobos C *see* Luco C *et al*
Loftus G *see* Defresne P *et al*
Logina I *see* Rubens O *et al*
Lombardi V *see* Siciliano G *et al*
Lopiano L *see* Cerrato P *et al*
see Rizzone M *et al*
Lotterie J-A *see* Roux F-E *et al*
Lovestone S *see* Holmes C *et al*
Lu WW *see* Hu Y *et al*
Lucas JA *see* Chukwudelunzu FE *et al*
Lucking CB *see* Bonifati V *et al*
Luco C *et al.* mtDNA mutations in Chilean patients with optic neuropathy: *letter*, **707**
Ludolph AC *see* Münch C *et al*
Luijckx GJ, de Jaegere T. Magnetic resonance imaging findings before and after treatment of spontaneous intracranial hypotension, **411**
Luk KDK *see* Hu Y *et al*
Luxon L *see* Yardley L *et al*
Lyall RA *see* Newsom-Davis IC *et al*
Lyons KE *et al.* Long term safety and efficacy of unilateral deep brain stimulation of the thalamus for parkinsonian tremor, **682**
Lythgoe D *et al.* Magnetic resonance markers of ischaemia: their correlation with vasodilatory reserve in patients with carotid artery stenosis and occlusion, **58**

McCauley SR *et al.* The neurobehavioural rating scale-revised: sensitivity and validity in closed head injury assessment, **643**
McFarlane E *see* Garofalo O *et al*
McGinn F *see* Duffill J *et al*
McGowan S *see* Münchau A *et al*
McGuire PK *see* Shergill SS *et al*
McLean SAM. Permanent vegetative state and the law: *Neurology in practice*, **i26**
Maddison P *et al.* Anti-GQ1b IgG antibody syndrome without ophthalmoplegia: clinical and immunological features: *correspondence*, **282**
Madigan NK *see* Christodoulou C *et al*
Madland G, Feinmann C. Chronic facial pain: a multidisciplinary problem: *review*, **716**
Maile S *see* Meinck H-M *et al*
Mancardi GL *see* Bandini F *et al*
see Carelli V *et al*
Mancuso M *see* Siciliano G *et al*
Mander A *see* Chataway J *et al*
Manfredi M *see* Iannetti G *et al*
Manning CA *see* Currie LJ *et al*
Mano Y *see* Kanno M *et al*
Mantle D *see* Nissen JJ *et al*
Mariani C *see* Casadei VM *et al*
Marinou M *see* Poulas K *et al*
Markus HS *see* Lythgoe D *et al*
Marra C *see* Bien CG *et al*
see Gainotti G *et al*
Martínez-Aran A *see* Benabarre A *et al*
Mascalchi M *see* Scaglione C *et al*
Massons J *see* Arboix A *et al*
Mathias CJ *see* Hussain IF *et al*
Matsuda H *see* Shirane S *et al*
Matsumoto S *see* Kubota Y *et al*
Matsumoto T *see* Kuroda Y *et al*
Matsushima-Ohno T *see* Yogo Y *et al*
Matsushita H *see* Fujigasaki H *et al*
Matsushita M *see* Sodeyama N *et al*
see Sodeyama N *et al*
Mauri I *see* Rossi S *et al*
Mayol A *see* García-Toro M *et al*
Mazaux J-M *see* McCauley SR *et al*
Mazzella L *see* Bandini F *et al*
Mead SH *et al.* A large family with hereditary spastic paraparesis due to a frame shift mutation of the spastin (SPG4) gene: association with multiple sclerosis in two affected siblings and epilepsy in other affected family members, **788**
Meador KJ *et al.* Effects of topiramate on cognition: *correspondence*, **134**
Meco G *see* Bonifati V *et al*
Mega MS *see* Paulsen JS *et al*
Mega MS. The entorhinal cortex in Alzheimer's disease: *editorial*, **431**
Meguro K *et al.* Relations between hypometabolism in the posterior association neocortex and hippocampal atrophy in Alzheimer's disease: a PET/MRI correlative study, **315**
Meinck H-M *et al.* Antibodies against glutamic acid decarboxylase: prevalence in neurological diseases, **100**
Melcarne A *see* Rizzone M *et al*
Meletti S *see* Carelli V *et al*
Melling M *et al.* Compression by looping and perforation of the facial nerve by the anterior inferior cerebellar artery: a possible cause of facial tic: *letter*, **133**
Mendelow AD *see* Chambers IR *et al*
see Nissen JJ *et al*
Mendelowitsch A *see* Langemann H *et al*
Menovsky T *see* de Vries J *et al*
Merello M *see* Kuzis G *et al*
Merello M *et al.* Bilateral pallidotomy for treatment of Parkinson's disease induced corticobulbar syndrome and psychic akinesia avoidable by globus pallidus lesion combined with contralateral stimulation, **611**
Meschia JF *see* Chukwudelunzu FE *et al*
Meyer L *see* Defresne P *et al*
Meyer PT *see* Krings T *et al*
Meyer T *see* Münch C *et al*
Micó J *see* Garcia-Toro M *et al*
Michalopoulou M *see* Kapaki E *et al*
Michel P *et al.* Peripheral axonal motor degeneration after spinal cord infarct: *editorial*, **128**
Miklossy J *see* Michel P *et al*
Mintzer J *see* Rockwood K *et al*
Misbahuddin A *see* Placzek MR *et al*
Misciagna S *see* Silveri MC *et al*
Misu K *see* Koike H *et al*
see Mori K *et al*
Miszkiel KA *see* Muqit MMK *et al*
Mitsui T *see* Kuroda Y *et al*
Mizusawa H *see* Fujigasaki H *et al*
see Sodeyama N *et al*
see Sodeyama N *et al*
Mizuta E *see* Mizuta I *et al*
Mizuta I *see* Nishikawa T *et al*
Mizuta I *et al.* Relation between the high production related allele of the interferon-γ (IFN-γ) gene and age at onset of idiopathic Parkinson's disease in Japan: *letter*, **818**
Möller-Hartmann W *see* Krings T *et al*
Monaco F *see* Civardi C *et al*
Montagna P *see* Carelli V *et al*
Montalban X *see* Sastre-Garriga J *et al*
Moo LR *see* Kasim S *et al*
Morgenthaler N *see* Meinck H-M *et al*
Mori K *et al.* Spinal cord magnetic resonance imaging demonstrates sensory neuronal involvement and clinical severity in neuronopathy associated with Sjögren's syndrome, **488**
Moriarity JL *et al.* Human "memories" can be evoked by stimulation of the lateral temporal cortex after ipsilateral medial temporal lobe resection, **549**
Mort D *see* Muqit MMK *et al*
Moss A *see* Tubridy N *et al*
Mottershead The differential diagnosis of multiple sclerosis: *Neurology in practice*, **ii9**
Moxham J *see* Newsom-Davis IC *et al*
Mull M *see* Fimm B *et al*
Munch C *et al.* Impaired RNA splicing of 5'-regulatory sequences of the astroglial glutamate transporter EAAT2 in human astrocytoma, **675**
Munchau A, Bronstein AM. Role of the vestibular system in the pathophysiology of spasmodic torticollis: *editorial*, **285**
Munchau A *et al.* Prospective study of swallowing function in patients with cervical dystonia undergoing selective peripheral denervation, **67**
Mundy J *see* Grünewald RA *et al*
Muqit MMK *et al.* "Hot cross bun" sign in a patient with parkinsonism secondary to presumed vasculitis: *letter*, **565**
Murai T *see* Kubota Y *et al*
Murata T *et al.* Neuronal damage in the interval form of CO poisoning determined by serial diffusion weighted magnetic resonance imaging plus ^{1}H-magnetic resonance spectroscopy, **250**
Murray RM *see* Shergill SS *et al*

Nagamatsu M *see* Koike H *et al*
Nagayama H *see* Ueda M *et al*
Nagendran K *see* Thaventhiran J *et al*
Nakagawa Y *see* Nishikawa T *et al*
Nakamura A *see* Fujigasaki H *et al*
Nakata H *see* Kubo S and Nakata H
Nakata M *see* Sakakibara R *et al*
Nakazaki S *see* Kubota M *et al*
Narita N *see* Utsunomiya A and Narita N
Neil-Dwyer G *see* Duffill J *et al*
Nekic M *see* Petereit HF *et al*
Nemoto I *see* Sakakibara R *et al*
Neumann M *see* Tschampa HJ *et al*

Neville BGR *et al.* Early onset epileptic auditory and visual agnosia with spontaneous recovery associated with Tourette's syndrome: *letter*, **560**
Newman NJ *see* Biousse V *et al*
Newsom-Davis IC *et al.* The effect of non-invasive positive pressure ventilation (NIPPV) on cognitive function in amyotrophic lateral sclerosis (ALS): a prospective study, **482**
Ni AC *see* Christodoulou C *et al*
Nicholson G *see* Aggarwal A and Nicholson G
Nicoletti A *see* Patti F *et al*
Nicoletti F *see* Patti F *et al*
Nielsen JE *see* Jennum P *et al*
see Jennum P *et al*
Nishikawa T *et al.* Conflict of intentions due to callosal disconnection, **462**
Nishimura M *see* Mizuta I *et al*
see Mizuta I *et al*
Nissen JJ *et al.* Serum concentration of adhesion molecules in patients with delayed ischaemic neurological deficit after aneurysmal subarachnoid haemorrhage: the immunoglobulin and selectin superfamilies, **329**
Noachtar S *see* Eisensehr I *et al*
Norman D *see* Du AT *et al*
Nouzeilles MI *see* Merello M *et al*
Nuttin C *see* Defresne P *et al*

Obiols J *see* Benabarre A *et al*
O'Brien C *see* Ramig LO *et al*
Odaka M *see* Maddison P *et al*
Ogawa T *see* Kamba M *et al*
Ohno K *see* Nishikawa T *et al*
Ohta M *see* Mizuta I *et al*
see Mizuta I *et al*
Okada T *see* Kubota Y *et al*
Okubo S *see* Ueda M *et al*
Okuda J-I *see* Nishikawa T *et al*
O'Leary MJ *see* Thaventhiran J *et al*
Omori M *see* Murata T *et al*
Onizuka J *see* Murata T *et al*
Ono S *see* Tagawa A *et al*
Ooi MH *see* Wong SC *et al*
Orgogozo JM *see* Helmer C *et al*
Ortí-Pareja M *see* Ayuso-Peralta L *et al*
O'Suilleabhain P *et al.* Proprioception in Parkinson's disease is acutely depressed by dopaminergic medications, **607**
Otomo E *see* Sodeyama N *et al*
see Sodeyama N *et al*
Overell J *et al.* An aid to predicting prognosis in patients with non-traumatic coma at one day, **24**
Oyesiku NM *see* Biousse V *et al*

Padilla I *see* Arboix A *et al*
Pahwa R *see* Lyons KE *et al*
Palace J. Making the diagnosis of multiple sclerosis: *Neurology in practice*, **ii3**
Palmer JD *see* Münchau A *et al*
Pandian JD, Chacko G. The calcified intracorporeal vacuole: an aid to the pathological diagnosis of solitary cerebral cysticercus granulomas: *correspondence*, **708**
Paolucci S *see* Gainotti G *et al*
Papanastasiou D *see* Poulas K *et al*
Papapetropoulos T *see* Poulas K *et al*
Paraskevas GP *see* Kapaki E *et al*
Parks BJ *see* de A A Gondim F *et al*
Paschen W *see* Ernestus R-I *et al*
Pascual-Leone A *see* García-Toro M *et al*
Patsouris E *see* Kapaki E *et al*
Patterson V *see* Chua R *et al*
Patti F *et al.* Combination of cyclophosphamide and interferon-β halts progression in patients with rapidly transitional multiple sclerosis, **404**
Paulsen JS *et al.* Neuropsychiatric aspects of Huntington's disease, **310**
Pawlas AA *see* Ramig LO *et al*
Pearce JMS. Ammon's horn and the hippocampus, **351**
Emil Heinrich Du Bois-Reymond (1818–96), **620**
The Lewy body, **214**
The subthalamic nucleus and Jules Bernard Luys (1828–97), **783**
Pearce JMS, Ferrari R. The late whiplash syndrome: a biopsychosocial approach: *correspondence*, **820**
Peer NGM *see* de Vries J *et al*
Pels H *see* Schlegel U *et al*
Penndorf A *see* Münch C *et al*
Perani D *see* Volonté MA *et al*
Pereira A *see* Lythgoe D *et al*
Peres MFP *et al.* Hypothalamic involvement in chronic migraine, **747**
Perini P, Gallo P. The range of multiple sclerosis associated with neurofibromatosis type 1, **679**
Periquet M *see* Bonifati V *et al*
Persson L *see* Frykholm P *et al*
Petereit HF *et al.* A new nephelometric assay for β-trace protein (prostaglandin D synthase) as an indicator of liquorrhoea, **347**
Peto V *see* Jenkinson C *et al*
Petzold A *et al.* Relapsing intracranial Rosai-Dorfman disease, **538**
Placzek MR *et al.* Cervical dystonia is associated with a polymorphism in the dopamine (D5) receptor gene, **262**
Plant G *see* Petzold A *et al*
Plant GT *see* Mead SH *et al*
see Tubridy N *et al*
Poggi A *see* Volonté MA *et al*
Pollak L *et al.* Posturally evoked vomiting without nystagmus in a patient with Arnold-Chiari malformation: *letter*, **414**
Portegies P *see* Rosenberg NR *et al*
Poser S *see* Tschampa HJ *et al*
Postert T *see* Agelink MW *et al*
Poulas K *et al.* Epidemiology of seropositive myasthenia gravis in Greece, **352**
Powell J *see* Holmes C *et al*
Powell M *see* Petzold A *et al*
see Tubridy N *et al*
Price BH *see* Brower MC and Price BH
Proukakis C *see* Mead SH *et al*
Provini F *see* Carelli V *et al*
Przuntek H *see* Agelink MW *et al*
Pukrop R *see* Petereit HF *et al*

Quinn NP *see* Münchau A *et al*

Rabey JM *see* Pollak L *et al*
Rademaker MV *see* Edelbroek PM *et al*
Ramig LO *et al.* Intensive voice treatment (LSVT®) for patients with Parkinson's disease: a 2 year follow up, **493**
Raphael J-C *et al.* Intravenous immune globulins in patients with Guillain-Barré syndrome and contraindications to plasma exchange: 3 days versus 6 days, **235**
Ratnagopal P *see* Lo YL and Ratnagopal P
Ready RE *see* Paulsen JS *et al*
Reed B *see* Du AT *et al*
Reggio A *see* Patti F *et al*
Reggio E *see* Patti F *et al*
Reichenthal E *see* Pollak L *et al*
Reinders JWC *et al.* Intramedullary enterogenous cyst presenting with spastic paraparesis during two consecutive pregnancies: a case report, **528**
Reinges MHT *see* Krings T *et al*
Repetto G *see* Luco C *et al*
Reuber M *et al.* New variant Creutzfeldt-Jakob disease presenting with loss of taste and smell: *letter*, **412**
Richard-Harston S *see* Helmer C *et al*
Rickels E *see* Schuhmann MU *et al*
Ricker JH *see* Christodoulou C *et al*
Ricoy JR *see* Ayuso-Peralta L *et al*
Rigamonti D *see* Clatterbuck RE *et al*
Riguzzi P *see* Scaglione C *et al*
Ring H *see* Fleminger S and Ring H
Rittey CDC *see* Grünewald RA *et al*
Rizzone M *et al.* Deep brain stimulation of the subthalamic nucleus in Parkinson's disease: effects of variation in stimulation parameters, **215**
Robertson N *see* Chataway J *et al*
Rockers D *see* McCauley SR *et al*
Rockwood K *et al.* Effects of a flexible galantamine dose in Alzheimer's disease: a randomised, controlled trial, **589**
Rohde V *see* Krings T *et al*
Röhn G *see* Ernestus R-I *et al*
Romaniello A *see* Iannetti G *et al*
Romera M *see* García-Toro M *et al*
Rosahl SK *see* Schuhmann MU *et al*
Rose M *see* Thaventhiran J *et al*
Rosenberg NR *et al.* Diagnostic investigation of patients with chronic polyneuropathy: evaluation of a clinical guideline, **205**
Rosengren L *see* Andreasen N *et al*
Rossi S *et al.* Brain temperature, body core temperature, and intracranial pressure in acute cerebral damage, **448**
Rouch I *see* Helmer C *et al*
Rouco I *see* Zarranz JJ *et al*
Roux F-E *et al.* Perimetric visual field and functional MRI correlation: implications for image-guided surgery in occipital brain tumours, **505**
Roxburgh R *see* Broadley SA *et al*
Rubens O *et al.* Peripheral neuropathy in chronic occupational inorganic lead exposure: a clinical and electrophysiological study, **200**
Rudolf J *see* Hilker R *et al*
Rush C *see* Colchester A *et al*
see Kopelman MD *et al*

Sabe L *see* Kuzis G *et al*
Sabri O *see* Krings T *et al*
Sadeh M *see* Gilad R *et al*
Saeki N *see* Kubota M *et al*
Saheki T *see* Ikeda S *et al*

Sakakibara R *et al.* Autonomic dysreflexia due to neurogenic bladder dysfunction; an unusual presentation of spinal cord sarcoidosis: *letter*, **819**
Videourodynamic and sphincter motor unit potential analyses in Parkinson's disease and multiple system atrophy, **600**
Sakamoto T *see* Kubota Y *et al*
Sakihama M *see* Kubota Y *et al*
Sakurai M *see* Yogo Y *et al*
Salvi F *see* Scaglione C *et al*
Samii M *see* Schuhmann MU *et al*
Sander JWAS *see* Lhatoo SD *et al*
Sander L *see* Meador KJ *et al*
Santosh C. Neurology in practice: sleep and coma: *Neurology in practice*, **i1**
Sapir S *see* Ramig LO *et al*
Sasaki I *see* Koike H *et al*
Sasaki M *see* Shirane S *et al*
Sastre-Garriga J *et al.* Response to botulinum toxin in a case of rigid spine syndrome : *letter*, **564**
Saunders D *see* Tubridy N *et al*
Sawcer S *see* Chataway J *et al*
Sawcer SJ *see* Broadley SA *et al*
Scaglione C *et al.* Symptomatic unruptured capillary telangiectasia of the brain stem: report of three cases and review of the literature, **390**
Scalais E *see* Defresne P *et al*
Schaller C *see* Clusmann H *et al*
Scherbaum W *see* Meinck H-M *et al*
Schischniaschvili M *see* Hilker R *et al*
Schlegel U *et al.* Combined systemic and intraventricular chemotherapy in primary CNS lymphoma: a pilot study, **118**
Schmand B *see* de Bie RMA *et al*
Schmidt-Wolf I *see* Schlegel U *et al*
Schneekloth CG *see* Schuhmann MU *et al*
Schon F *see* Tubridy N *et al*
Schott GD. Reflex sympathetic dystrophy, **291**
Schramm J *see* Clusmann H *et al*
Schreckenberger M *see* Krings T *et al*
Schröder R *see* Ernestus R-I *et al*
see Fischer D *et al*
Schröter A *see* Tschampa HJ *et al*
Schuff N *see* Du AT *et al*
Schuhmann MU *et al.* Acute care in neurosurgery: quantity, quality, and challenges, **182**
Schulz-Schaeffer WJ *see* Tschampa HJ *et al*
Schuurman PR *see* de Bie RMA *et al*
Schwalenstöcker B *see* Münch C *et al*
Schwarz M *see* Fimm B *et al*
Schweitzer M *see* Luco C *et al*
Scolding N. The differential diagnosis of multiple sclerosis: *Neurology in practice*, **ii9**
Seabra MLV *see* Peres MFP *et al*
Sébire G *see* Defresne P *et al*
Seissler J *see* Meinck H-M *et al*
Selim M, Drachman DA. Ataxia associated with Hashimoto's disease: progressive non-familial adult onset cerebellar degeneration with autoimmune thyroiditis, **81**
Selmaj K *see* Siger-Zajdel M and Selmaj K
Senanayake B, de Silva R. Lunchtime headache: *letter*, **415**
Shakir RA *see* Muqit MMK *et al*
Shergill SS *et al.* Modality specific neural correlates of auditory and somatic hallucinations, **688**
Shibata M *see* Tagawa A *et al*
Shimizu N *see* Tagawa A *et al*
Shirane S *et al.* Increased ictal perfusion of the thalamus in paroxysmal kinesigenic dyskinesia, **408**
Shorvon SD *see* Lhatoo SD *et al*
Siciliano G *et al.* Mitochondrial DNA rearrangements in young onset parkinsonism: two case reports, **685**
Siddique MS *see* Chambers IR *et al*
Siger-Zajdel M, Selmaj K. Magnetisation transfer ratio analysis of normal appearing white matter in patients with familial and sporadic multiple sclerosis, **752**
Silberstein SD *see* Peres MFP *et al*
Silveri MC *et al.* Right side neglect in right cerebellar lesion, **114**
Simmons A *see* Lythgoe D *et al*
Smith H *see* Holmes C *et al*
Snels SEA *see* de Vries J *et al*
Snoek JW *see* Kuipers-Upmeijer J *et al*
Sobue G *see* Koike H *et al*
see Mori K *et al*
Sodeyama N *et al.* Lack of association of neprilysin polymorphism with Alzheimer's disease and Alzheimer's disease-type neuropathological changes: *letter*, **817**
Very early onset Alzheimer's disease with spastic paraparesis associated with a novel presenilin 1 mutation (Phe237Ile): *letter*, **556**
Solaro C *see* Bandini F *et al*
Solimena M *see* Meinck H-M *et al*
Solomon T *see* Wong SC *et al*
Sommer JB, Tomandl BF. Vertigo and amaurosis fugax secondary to Takayasu's arteritis, **276**
Sperling R. The volumes of memory: *commentary*, **5**
Spetzger U *see* Krings T *et al*
Spratt HC *see* Neville BGR *et al*
Stanhope N *see* Colchester A *et al*
see Kopelman MD *et al*
Starkel D *see* Melling M *et al*
Starkstein S *see* Kuzis G *et al*
see Kuzis G *et al*
see Merello M *et al*
Steffener J *see* Christodoulou C *et al*
Steinhoff BJ *see* Tschampa HJ *et al*
Stevens T *see* Kopelman MD *et al*
Stevens TG *see* Colchester A *et al*
Stevenson KL, Welch WC. Smiling odontoid: *editorial*, **706**
Stewart-Brown S *see* Jenkinson C *et al*
Stocchetti N *see* Rossi S *et al*
Stolke D *see* Wanke I *et al*
Storm PB *see* Moriarity JL *et al*
Stott K *see* Bajaj NPS *et al*
Stott L *see* Hill D *et al*
Strauss C *see* Kofler M and Strauss C
Strupp M *see* Eisensehr I *et al*
Sugimoto C *see* Yogo Y *et al*
Sugimoto T *see* Inao S *et al*
Suto Y *see* Kamba M *et al*
Suzuki M *see* Tagawa A *et al*
Sweeney CJ, Gilden DH. Ramsay Hunt syndrome: *review*, **149**
Swerdlow RH *see* Currie LJ *et al*
Swinn MJ *see* Hussain IF *et al*

Tagawa A *et al.* A new neurological entity manifesting as involuntary movements and dysarthria with possible abnormal copper metabolism, **780**
Takahashi J *see* Fujigasaki H *et al*
Takahashi T *see* Murata T *et al*
Takeda M *see* Nishikawa T *et al*
Takei Y *see* Ikeda S *et al*
Taki J *see* Yoshita M *et al*
Taki W *see* Kanamaru K *et al*
Tanabe H *see* Nishikawa T *et al*
Tardieu M *see* Defresne P *et al*
Targa C *see* Arboix A *et al*
Tarletti R *see* Civardi C *et al*
Tassinari CA *see* Scaglione C *et al*
Tatsumoto M *see* Koga M *et al*
Tavella A *see* Rizzone M *et al*
Teadsale E *see* White PM *et al*
Teasdale TW, Engberg AW. Suicide after traumatic brain injury: a population study, **436**
Tejeiro-Martínez J *see* Ayuso-Peralta L *et al*
Terrezza G *see* Silveri MC *et al*
Thaventhiran J *et al.* Pathogenesis and recovery of tetraplegia after electrical injury, **535**
Thijssen WAMH *see* de Vries J *et al*
Thom M *see* Petzold A *et al*
see Tubridy N *et al*
see Hobart J *et al*
Thompson AJ *see* Hobart JC and Thompson AJ
Thompson AJ. Symptomatic management and rehabilitation in multiple sclerosis: *Neurology in practice*, **ii22**
Thompson LL *see* Ramig LO *et al*
Thompson P *see* Meador KJ *et al*
Thron A *see* Krings T *et al*
Tian J *see* Wiest G *et al*
Tiberti C *see* Kuzis G *et al*
Tintoré M *see* Sastre-Garriga J *et al*
Tio PH *see* Wong SC *et al*
Toichi M *see* Kubota Y *et al*
Tokunaga H *see* Nishikawa T *et al*
Tomaiuolo F *see* Carlesimo GA *et al*
Tomandl BF *see* Sommer JB and Tomandl BF
Tormos JM *see* García-Toro M *et al*
Torre E *see* Rizzone M *et al*
Trenkwalder C *see* Chaudhuri KR *et al*
Troost D *see* Münch C *et al*
Trugman JM *see* Currie LJ *et al*
Truini A *see* Iannetti G *et al*
Truyen L *see* Rockwood K *et al*
Tsantili P *see* Poulas K *et al*
Tschampa HJ *et al.* Patients with Alzheimer's disease and dementia with Lewy bodies mistaken for Creutzfeldt-Jakob disease, **33**
Tsibri E *see* Poulas K *et al*
Tsouloufis T *see* Poulas K *et al*
Tubridy N *et al.* Hippocampal involvement in identical twins with neurofibromatosis type 1: *letter*, **131**
Infundibulohypophysitis in a man presenting with diabetes insipidus and cavernous sinus involvement, **798**
Tufik S *see* Peres MFP *et al*
Turriziani P *see* Carlesimo GA *et al*
Tzartos SJ *see* Poulas K *et al*

Uchihara T *see* Fujigasaki H *et al*
Uchiyama T *see* Sakakibara R *et al*
see Sakakibara R *et al*
Ueda M *et al.* Biochemical alterations during medication withdrawal in Parkinson's disease with and without neuroleptic malignant-like syndrome, **111**
Utsunomiya A, Narita N. Spontaneous occipital subdural haematoma: *editorial*, **127**

Valentino ML *see* Carelli V *et al*
Valtysson J *see* Frykholm P *et al*
Vanderstichele H *see* Andreasen N *et al*
van Exel E *et al.* Cognitive function in the oldest old: women perform better than men, **29**
van Gijn J *see* Al-Shahi R *et al*
Vanier M *see* McCauley SR *et al*
Vanmechelen E *see* Andreasen N *et al*
van Roost D *see* Schlegel U *et al*
van Weerden TW *see* Kuipers-Upmeijer J *et al*
Varrasi C *see* Civardi C *et al*
Vaughan P *see* Grünewald RA *et al*
Veglia F *see* Casadei VM *et al*
Vergelli M *see* Scaglione C *et al*
Vermeulen M *see* Rosenberg NR *et al*
Verschueren H, Crols R. Bilateral substantia nigra lesions on magnetic resonance imaging in a patient with encephalitis lethargica, **275**
Vetrugno R *see* Carelli V *et al*
Vicentini R *see* Civardi C *et al*
Vieta E *see* Benabarre A *et al*
Villa G *see* Bien CG *et al*
Vodušek DB. Sphincter EMG in possible multiple system atrophy: to do or not to do?: *editorial*, **575**
Volonté MA *et al.* Regression of ventral striatum hypometabolism after calcium/calcitriol therapy in paroxysmal kinesigenic choreoathetosis due to idiopathic primary hypoparathyroidism, **691**

Wada Y *see* Murata T *et al*
Wada Y, Yamamoto T. Selective impairment of facial recognition due to a haematoma restricted to the right fusiform and lateral occipital region, **254**
Wade D *see* Duffill J *et al*
Waite LM *et al.* Preclinical syndromes predict dementia: the Sydney older persons study, **296**
Walker RWH. Idiopathic intracranial hypertension: any light on the mechanism of the raised pressure?: *editorial*, **1**
Wanke I *et al.* Carotid cavernous fistula due to a ruptured intracavernous aneurysm of the internal carotid artery: treatment with selective endovascular occlusion of the aneurysm, **784**
Wardlaw JM *see* White PM *et al*
Wardlaw JM *et al.* How does the degree of carotid stenosis affect the accuracy and interobserver variability of magnetic resonance angiography?, **155**
Warlow CP *see* Al-Shahi R *et al*
see Wardlaw JM *et al*
Warner J. Divining dementia: *commentary*, **289**
Warner TT *see* Mead SH *et al*
see Placzek MR *et al*
see Wilkinson PA *et al*
Warrington EK *see* Chan D *et al*
Watanabe Y *see* Frykholm P *et al*
Weiner MW *see* Du AT *et al*
Welch WC *see* Stevenson KL and Welch WC
Wessel T *see* Rockwood K *et al*
Wesseling P *see* Reinders JWC *et al*
Westendorp RGJ *see* van Exel E *et al*
Whatley SA *see* Garofalo O *et al*
White PM *et al.* What is the most sensitive non-invasive imaging strategy for the diagnosis of intracranial aneurysms?, **322**
Wiest G *et al.* Vestibular function in severe bilateral vestibulopathy, **53**
Wilhelm K *see* Fischer D *et al*
Wilkinson D *see* Rockwood K *et al*
Wilkinson PA *et al.* Friedreich's ataxia presenting as an isolated spastic paraparesis: *correspondence*, **709**
Wilkinson SB *see* Lyons KE *et al*
Will RG *see* Garofalo O *et al*
Williams S *see* Lythgoe D *et al*
Williams SCR *see* Shergill SS *et al*
Wills A *see* Frisby J *et al*
Winer JB. Bickerstaff's encephalitis and the Miller Fisher syndrome, **433**
Wintersgill S *see* Hill D *et al*
Wirz M *et al.* Long term effects of locomotor training in spinal humans, **93**
Wolf A *see* Gündel H *et al*
Wong MNL *see* Wong SC *et al*
Wong SC *et al.* Late presentation of Nipah virus encephalitis and kinetics of the humoral immune response, **552**
Wood N *see* Mead SH *et al*
Wood NW *see* Placzek MR *et al*
Wooten GF *see* Currie LJ *et al*
Wootton R *see* Chua R *et al*
Wullner U *see* Fischer D *et al*
Wurzinger U *see* Agelink MW *et al*

Xidara V *see* Gündel H *et al*

Yaffe K *see* Du AT *et al*
Yamada M *see* Sodeyama N *et al*
see Sodeyama N *et al*
see Yoshita M *et al*
Yamamoto M *see* Inao S *et al*
Yamamoto T *see* Wada Y and Yamamoto T
Yamanishi T *see* Sakakibara R *et al*
Yamasaki S *see* Mizuta I *et al*
Yamaura A *see* Kubota M *et al*
Yardley L *et al.* Interference between postural control and mental task performance in patients with vestibular disorder and healthy controls, **48**
Yasui T *see* Komiyama M and Yasui T
Yazaki M *see* Ikeda S *et al*
Yogo Y *et al.* JC virus regulatory region rearrangements in the brain of a long surviving patient with progressive multifocal leukoencephalopathy, **397**
Yoshida J *see* Inao S *et al*
Yoshimine T *see* Nishikawa T *et al*
Yoshita M *et al.* A clinical role for [^{123}I]MIBG myocardial scintigraphy in the distinction between dementia of the Alzheimer's-type and dementia with Lewy bodies, **583**
Young G *see* Wardlaw JM *et al*
Yuki N *see* Koga M *et al*
see Maddison P *et al*

Zahn R *see* Fimm B *et al*
Zanier ER *see* Rossi S *et al*
Zarranz JJ *et al.* Human T lymphotropic virus type I (HTLV-1) associated myelopathy acquired through a liver transplant: *letter*, **818**
Zeit T *see* Agelink MW *et al*
Zerr I *see* Tschampa HJ *et al*
Zschocke J *see* Kasim S *et al*
Zukerman E *see* Peres MFP *et al*
Zurdo-Hernández M *see* Ayuso-Peralta L *et al*

VOLUME 71 • SUBJECT INDEX

accessory middle cerebral artery, Accessory middle cerebral artery and moyamoya disease: *letter,* **129**

acetylcholinesterase inhibition, Effects of a flexible galantamine dose in Alzheimer's disease: a randomised, controlled trial, **589**

acquired nystagmus, Gabapentin but not vigabatrin is effective in the treatment of acquired nystagmus in multiple sclerosis: how valid is the GABAergic hypothesis?, **107**

activities of daily living, Effects of a flexible galantamine dose in Alzheimer's disease: a randomised, controlled trial, **589**

acute care, Acute care in neurosurgery: quantity, quality, and challenges, **182**

acute disseminated encephalomyelitis, The differential diagnosis of multiple sclerosis: *Neurology in practice,* **ii9**

adhesion molecule, Serum concentration of adhesion molecules in patients with delayed ischaemic neurological deficit after aneurysmal subarachnoid haemorrhage: the immunoglobulin and selectin superfamilies, **329**

aggression, Neurocognitive models of aggression, the antisocial personality disorders, and psychopathy: *review,* **727**

Neuropsychiatry of frontal lobe dysfunction in violent and criminal behaviour: a critical review: *review,* **720**

akinetic mutism, States related to or confused with coma: *Neurology in practice,* **ii8**

alcohol, Alcohol consumption and frontal lobe shrinkage: study of 1432 non-alcoholic subjects, **104**

allelic association, Cervical dystonia is associated with a polymorphism in the dopamine (D5) receptor gene, **262**

alternative medicine, Lead poisoning from complementary and alternative medicine in multiple sclerosis: *correspondence,* **281**

Alzheimer's disease, A disorder of colour perception associated with abnormal colour after-images: a defect of the primary visual cortex, **515**

Effects of a flexible galantamine dose in Alzheimer's disease: a randomised, controlled trial, **589**

Evaluation of CSF biomarkers for axonal and neuronal degeneration, gliosis, and β-amyloid metabolism in Alzheimer's disease: *letter,* **557**

Highly increased CSF tau protein and decreased β-amyloid (1–42) in sporadic CJD: a discrimination from Alzheimer's disease?, **401**

Is it really Alzheimer's disease?: *correspondence,* **416**

Lack of association of neprilysin polymorphism with Alzheimer's disease and Alzheimer's disease-type neuropathological changes: *letter,* **817**

Magnetic resonance imaging of the entorhinal cortex and hippocampus in mild cognitive impairment and Alzheimer's disease, **441**

Neuropsychiatric phenomena in Alzheimer's disease: *editorial,* **715**

Patients with Alzheimer's disease and dementia with Lewy bodies mistaken for Creutzfeldt-Jakob disease, **33**

Preclinical syndromes predict dementia: the Sydney older persons study, **296**

Prion protein gene polymorphism and Alzheimer's disease: one modulatory trait of cognitive decline?: *letter,* **279**

Psychosis and aggression in Alzheimer's disease: the effect of dopamine receptor gene variation, **777**

Relations between hypometabolism in the posterior association neocortex and hippocampal atrophy in Alzheimer's disease: a PET/MRI correlative study, **315**

The entorhinal cortex in Alzheimer's disease: *editorial,* **431**

Very early onset Alzheimer's disease with spastic paraparesis associated with a novel presenilin 1 mutation (Phe237Ile): *letter,* **556**

Ammon's horn, Ammon's horn and the hippocampus, **351**

amnesia, Memory lost, memory regained: neuropsychological findings and neuroimaging in two cases of paraneoplastic limbic encephalitis with radically different outcomes, **40**

Selective sparing of face learning in a global amnesic patient, **340**

Structural MRI volumetric analysis in patients with organic amnesia, 1: methods and comparative findings across diagnostic groups, **13**

Structural MRI volumetric analysis in patients with organic amnesia, 2: correlations with anterograde memory and executive tests in 40 patients, **23**

amnestic syndrome, Extensive metabolic and neuropsychological abnormalities associated with discrete infarction of the genu of the internal capsule, **658**

amygdala, Neurocognitive models of aggression, the antisocial personality disorders, and psychopathy: *review,* **727**

β-amyloid 1–42 Highly increased CSF tau protein and decreased β-amyloid (1–42) in sporadic CJD: a discrimination from Alzheimer's disease?, **401**

amyotrophic lateral sclerosis, Cervical spondylotic myelopathy and Kennedy syndrome mimicking amyotrophic lateral sclerosis: *letter,* **414**

The effect of non-invasive positive pressure ventilation (NIPPV) on cognitive function in amyotrophic lateral sclerosis (ALS): a prospective study, **482**

aneurysm, Brain stem compression by a giant vertebrobasilar aneurysm mimicking seronegative myasthenia: *lesson of the month,* **125**

aneurysm rupture, Spontaneous occipital subdural haematoma: *editorial,* **127**

angiography, Vertigo and amaurosis fugax secondary to Takayasu's arteritis, **276**

anterior inferior cerebellar artery, Compression by looping and perforation of the facial nerve by the anterior inferior cerebellar artery: a possible cause of facial tic: *letter,* **133**

anterior wall of internal carotid artery, Splitting and penetration of the optic nerve by an aneurysm arising from the anterior wall of internal carotid artery: case report, **525**

antidepressant drugs, Relation between depression after stroke, antidepressant therapy, and functional recovery, **258**

antiepileptic drugs, Effects of topiramate on cognition: *correspondence,* **134**

anti-GM1 antibody, Range of cross reactivity of anti-GM1 IgG antibody in Guillain-Barré syndrome, **123**

anti-GQ1b antibody, Anti-GQ1b IgG antibody syndrome without ophthalmoplegia: clinical and immunological features: *correspondence,* **282**

AR-JP, Homozygous deletion mutation of the parkin gene in patients with atypical parkinsonism, **231**

Arnold-Chiari malformation, Posturally evoked vomiting without nystagmus in a patient with Arnold-Chiari malformation: *letter,* **414**

ascorbic acid, Microdialytical monitoring of uric and ascorbic acids in the brains of patients after severe brain injury and during neurovascular surgery, **169**

astrocytoma, Impaired RNA splicing of 5'-regulatory sequences of the astroglial glutamate transporter EAAT2 in human astrocytoma, **675**

ataxia, Ataxia associated with Hashimoto's disease: progressive non-familial adult onset cerebellar degeneration with autoimmune thyroiditis, **81**

attention, Conflict and integration of spatial attention between disconnected hemispheres, **472**

Interference between postural control and mental task performance in patients with vestibular disorder and healthy controls, **48**

auditory evoked potentials, Postoperative hearing loss due to venous congestion at the inferior colliculus, or cochlear dysfunction?: *correspondence,* **135**

auditory hallucinations, Modality specific neural correlates of auditory and somatic hallucinations, **688**

autoimmunity, Antibodies against glutamic acid decarboxylase: prevalence in neurological diseases, **100**

Ataxia associated with Hashimoto's disease: progressive non-familial adult onset cerebellar degeneration with autoimmune thyroiditis, **81**

automatic zero, Clinical comparison of the Spiegelberg parenchymal transducer and ventricular fluid pressure, **383**

autonomic dysreflexia, Autonomic dysreflexia due to neurogenic bladder dysfunction; an unusual presentation of spinal cord sarcoidosis: *letter,* **819**

autonomic function, A clinical role for [^{123}I]MIBG myocardial scintigraphy in the distinction between dementia of the Alzheimer's-type and dementia with Lewy bodies, **583**

axonal generation, Peripheral axonal motor degeneration after spinal cord infarct: *editorial,* **128**

baroreceptors, Paroxysmal hypertension during a complex partial seizure: *letter,* **132**

basal ganglia, Asymmetries of visual attention after circumscribed subcortical vascular lesions, **652**

Obsessive-compulsive characteristics in patients with writer's cramp: *letter,* **413**

behaviour, Outcome of unilateral pallidotomy in advanced Parkinson's disease: cohort study of 32 patients, **375**

Psychosis and aggression in Alzheimer's disease: the effect of dopamine receptor gene variation, **777**

beriberi, Postgastrectomy polyneuropathy with thiamine deficiency, **357**

Bickerstaff's encephalitis, Bickerstaff's encephalitis and the Miller Fisher syndrome, **433**

bilateral pallidotomy, Bilateral pallidotomy for treatment of Parkinson's disease induced corticobulbar syndrome and psychic akinesia avoidable by globus pallidus lesion combined with contralateral stimulation, **611**

bilateral vestibulopathy, Vestibular function in severe bilateral vestibulopathy, **53**

biomarkers, Evaluation of CSF biomarkers for axonal and neuronal degeneration, gliosis, and β-amyloid metabolism in Alzheimer's disease: *letter,* **557**
blood-brain barrier, Ultrastructural and immunocytochemical evidence that an incompetent blood-brain barrier is related to the pathophysiology of cavernous malformations, **188**
botulinum neurotoxin type A, Health related quality of life is improved by botulinum neurotoxin type A in long term treated patients with focal dystonia, **193**
botulinum toxin, Response to botulinum toxin in a case of rigid spine syndrome : *letter,* **564**
brain, Microdialytical monitoring of uric and ascorbic acids in the brains of patients after severe brain injury and during neurovascular surgery, **169**
brain atrophy, Alcohol consumption and frontal lobe shrinkage: study of 1432 non-alcoholic subjects, **104**
brain displacement, Relation between brain displacement and local cerebral blood flow in patients with chronic subdural haematoma, **741**
brain stem, Symptomatic unruptured capillary telangiectasia of the brain stem: report of three cases and review of the literature, **390**
brain stem death, Blood pressure and heart rate variability and baroreflex sensitivity before and after brain death, **621**
brain stem ischaemia, "Fou rire prodromique" as the presentation of pontine ischaemia secondary to vertebrobasilar stenosis, **802**
brain stem stroke, "Fou rire prodromique" as the presentation of pontine ischaemia secondary to vertebrobasilar stenosis, **802**
brain temperature, Brain temperature, body core temperature, and intracranial pressure in acute cerebral damage, **448**
brain tumour, Polyamine metabolism in brain tumours: diagnostic relevance of quantitative biochemistry, **88**
brain volumes, The volumes of memory: *commentary,* **5**
budget, Acute care in neurosurgery: quantity, quality, and challenges, **182**

CADASIL, No association between multiple sclerosis and the Notch3 gene responsible for cerebral autosomal dominant arteriopathy with subcortical infarcts and leukoencephalopathy (CADASIL), **97**
calcified intracorporeal vacuole, The calcified intracorporeal vacuole: an aid to the pathological diagnosis of solitary cerebral cysticercus granulomas: *correspondence,* **708**
callosal disconnection, Conflict and integration of spatial attention between disconnected hemispheres, **472**
caloric response, Neurological assessment of coma: *Neurology in practice,* **13**
capsular genu infarct, Extensive metabolic and neuropsychological abnormalities associated with discrete infarction of the genu of the internal capsule, **658**
carbon monoxide poisoning, Neuronal damage in the interval form of CO poisoning determined by serial diffusion weighted magnetic resonance imaging plus ^{1}H-magnetic resonance spectroscopy, **250**
cardiac arrest, Sustained downgaze in coma after cardiac arrest: *letter,* **278**
carotid artery diseases, Magnetic resonance markers of ischaemia: their correlation with vasodilatory reserve in patients with carotid artery stenosis and occlusion, **58**
carotid bifurcation stenosis, Are two heads better than one?: *commentary,* **147**
carotid stenosis, How does the degree of carotid stenosis affect the accuracy and interobserver variability of magnetic resonance angiography?, **155**
catatonia, States related to or confused with coma: *Neurology in practice,* **i18**
cavernous angioma, Complex musical hallucinosis in a professional musician with a left subcortical haemorrhage: *letter,* **280**
cavernous malformation, Ultrastructural and immunocytochemical evidence that an incompetent blood-brain barrier is related to the pathophysiology of cavernous malformations, **188**
cavernous sinus, Infundibulohypophysitis in a man presenting with diabetes insipidus and cavernous sinus involvement, **798**
CCF, Carotid cavernous fistula due to a ruptured intracavernous aneurysm of the internal carotid artery: treatment with selective endovascular occlusion of the aneurysm, **784**
central motor conduction time, Transcranial magnetic stimulation studies in the Miller Fisher syndrome: evidence of corticospinal tract abnormality, **210**
cerebellar degeneration, Ataxia associated with Hashimoto's disease: progressive non-familial adult onset cerebellar degeneration with autoimmune thyroiditis, **81**
cerebellopontine angle surgery, Postoperative hearing loss due to venous congestion at the inferior colliculus, or cochlear dysfunction?: *correspondence,* **135**
cerebellum, Right side neglect in right cerebellar lesion, **114**
cerebral aneurysm, Splitting and penetration of the optic nerve by an aneurysm arising from the anterior wall of internal carotid artery: case report, **525**
cerebral blood flow, Relation between brain displacement and local cerebral blood flow in patients with chronic subdural haematoma, **741**
cerebral cysticercus granulomas, The calcified intracorporeal vacuole: an aid to the pathological diagnosis of solitary cerebral cysticercus granulomas: *correspondence,* **708**
cerebral lymphoma, Cerebral lymphoma presenting as a leukoencephalopathy, **243**
cerebrospinal fluid, Evaluation of CSF biomarkers for axonal and neuronal degeneration, gliosis, and β-amyloid metabolism in Alzheimer's disease: *letter,* **557**
Intraoperative values of S-100 protein, myelin basic protein, lactate, and albumin in the CSF and serum of neurosurgical patients, **671**
cerebrovascular disorders, Magnetic resonance markers of ischaemia: their correlation with vasodilatory reserve in patients with carotid artery stenosis and occlusion, **58**
cervical dystonia, Cervical dystonia is associated with a polymorphism in the dopamine (D5) receptor gene, **262**
Prospective study of swallowing function in patients with cervical dystonia undergoing selective peripheral denervation, **67**
Social phobia in spasmodic torticollis, **499**
cervical spondylotic myelopathy, Cervical spondylotic myelopathy and Kennedy syndrome mimicking amyotrophic lateral sclerosis: *letter,* **414**
cervical trauma, Smiling odontoid, **706**
cervical vertigo, Cervical vertigo, **8**
cervicocephalic arterial dissections, An unexpected consequence of a roller coaster ride, **704**
Charles Bonnet syndrome, Charles Bonnet syndrome: an example of cortical dissociation syndrome affecting vision?: *correspondence,* **134**
Chinese woman, Evidence based medicine: concerns of a clinical neurologist: *editorial,* **569**
chronic migraine, Hypothalamic involvement in chronic migraine, **747**
chronic pain, Chronic facial pain: a multidisciplinary problem: *review,* **716**
chronic paroxysmal hemicrania, Lunchtime headache: *letter,* **415**
chronic polyneuropathy, Diagnostic investigation of patients with chronic polyneuropathy: evaluation of a clinical guideline, **205**
chronic subdural haematoma, Relation between brain displacement and local cerebral blood flow in patients with chronic subdural haematoma, **741**
citrullinaemia, Type II (adult onset) citrullinaemia: clinical pictures and the therapeutic effect of liver transplantation, **663**
clinical evaluation, Clinical comparison of the Spiegelberg parenchymal transducer and ventricular fluid pressure, **383**
Outcome of unilateral pallidotomy in advanced Parkinson's disease: cohort study of 32 patients, **375**
cluster headache, Basilar artery aneurysm with autonomic features: an interesting pathophysiological problem, **805**
Lunchtime headache: *letter,* **415**
CNS, Combined systemic and intraventricular chemotherapy in primary CNS lymphoma: a pilot study, **118**
cochlear dysfunction, Postoperative hearing loss due to venous congestion at the inferior colliculus, or cochlear dysfunction?: *correspondence,* **135**
cochlear implant, Cochlear implantation in a profoundly deaf patient with MELAS syndrome: *letter,* **281**
cognition, Cognitive function in the oldest old: women perform better than men, **29**
Effects of topiramate on cognition: *correspondence,* **134**
Neuropsychological effects of pallidotomy in patients with Parkinson's disease: *letter,* **563**
cognitive function, Cognitive function in the oldest old: women perform better than men: *commentary,* **6**
The effect of non-invasive positive pressure ventilation (NIPPV) on cognitive function in amyotrophic lateral sclerosis (ALS): a prospective study, **482**
colour vision, A disorder of colour perception associated with abnormal colour after-images: a defect of the primary visual cortex, **515**
coma, Neurological assessment of coma: *Neurology in practice,* **i13**
Neurology in practice: sleep and coma: *Neurology in practice,* **i1**
States related to or confused with coma: *Neurology in practice,* **i18**
Sustained downgaze in coma after cardiac arrest: *letter,* **278**
The prognosis of medical coma, **i20**
complication, Fixed and dilated pupils after trauma, stroke, and previous intracranial surgery: management and outcome, **175**
computed tomography, Cerebral lymphoma presenting as a leukoencephalopathy, **243**
computer assisted diagnosis, Blood pressure and heart rate variability and baroreflex sensitivity before and after brain death, **621**
concordance, Multiple sclerosis in sibling pairs: an analysis of 250 families, **757**
concussion, Suicide after traumatic brain injury: a population study, **436**
conflict, Conflict of intentions due to callosal disconnection, **462**
confused patients, Assessing confused patients: *Neurology in practice,* **i7**
consciousness, States related to or confused with coma: *Neurology in practice,* **i18**
corpus callosum, Conflict of intentions due to callosal disconnection, **462**

cortical dissociation, Charles Bonnet syndrome: an example of cortical dissociation syndrome affecting vision?: *correspondence,* **134**
cortical excitability, Cortical excitability and sleep deprivation: a transcranial magnetic stimulation study, **809**
Reduced excitability of the motor cortex in untreated patients with de novo idiopathic "grand mal" seizures, **772**
cortical stimulation, Human "memories" can be evoked by stimulation of the lateral temporal cortex after ipsilateral medial temporal lobe resection, **549**
corticospinal tract abnormality, Transcranial magnetic stimulation studies in the Miller Fisher syndrome: evidence of corticospinal tract abnormality, **210**
cortisol, Hypothalamic involvement in chronic migraine, **747**
Creutzfeldt-Jakob disease, Highly increased CSF tau protein and decreased β-amyloid (1–42) in sporadic CJD: a discrimination from Alzheimer's disease?, **401**
Patients with Alzheimer's disease and dementia with Lewy bodies mistaken for Creutzfeldt-Jakob disease, **33**
cross reactivity, Range of cross reactivity of anti-GM1 IgG antibody in Guillain-Barré syndrome, **123**
CT angiography, What is the most sensitive non-invasive imaging strategy for the diagnosis of intracranial aneurysms?, **322**
cyclophosphamide, Combination of cyclophosphamide and interferon-β halts progression in patients with rapidly transitional multiple sclerosis, **404**

D5 dopamine receptor, Cervical dystonia is associated with a polymorphism in the dopamine (D5) receptor gene, **262**
deafness, Cochlear implantation in a profoundly deaf patient with MELAS syndrome: *letter,* **281**
deep brain stimulation, Bilateral pallidotomy for treatment of Parkinson's disease induced corticobulbar syndrome and psychic akinesia avoidable by globus pallidus lesion combined with contralateral stimulation, **611**
Deep brain stimulation of the subthalamic nucleus in Parkinson's disease: effects of variation in stimulation parameters, **215**
Long term safety and efficacy of unilateral deep brain stimulation of the thalamus for parkinsonian tremor, **682**
delayed ischaemic neurological deficit, Serum concentration of adhesion molecules in patients with delayed ischaemic neurological deficit after aneurysmal subarachnoid haemorrhage: the immunoglobulin and selectin superfamilies, **329**
deletion mutation, Homozygous deletion mutation of the parkin gene in patients with atypical parkinsonism, **231**
delirium, Assessing confused patients: *Neurology in practice,* **i7**
dementia, Dementia as a complication of schizophrenia: *correspondence,* **707**
Divining dementia: *commentary,* **289**
Getting to the heart of dementia: *editorial,* **574**
Neuropsychiatric aspects of Huntington's disease, **310**
Preclinical syndromes predict dementia: the Sydney older persons study, **296**
dementia of the Alzheimer's-type, A clinical role for [^{123}I]MIBG myocardial scintigraphy in the distinction between dementia of the Alzheimer's-type and dementia with Lewy bodies, **583**
dementia with Lewy bodies, A clinical role for [^{123}I]MIBG myocardial scintigraphy in the distinction between dementia of the Alzheimer's-type and dementia with Lewy bodies, **583**
Patients with Alzheimer's disease and dementia with Lewy bodies mistaken for Creutzfeldt-Jakob disease, **33**
depression, Cognitive function in the oldest old: women perform better than men, **29**
developing countries, Getting our *Journal* to developing countries: *editorial,* **711**
Devic's disease, The differential diagnosis of multiple sclerosis: *Neurology in practice,* **ii9**
diabetes insipidus, Infundibulohypophysitis in a man presenting with diabetes insipidus and cavernous sinus involvement, **798**
diagnosis, Late presentation of Nipah virus encephalitis and kinetics of the humoral immune response, **552**
Patients with Alzheimer's disease and dementia with Lewy bodies mistaken for Creutzfeldt-Jakob disease, **33**
diagnostic investigation, Diagnostic investigation of patients with chronic polyneuropathy: evaluation of a clinical guideline, **205**
diagonistic dyspraxia, Conflict of intentions due to callosal disconnection, **462**
diaschisis, Extensive metabolic and neuropsychological abnormalities associated with discrete infarction of the genu of the internal capsule, **658**
differential diagnosis, A 59 year old man with progressive spinal cord and peripheral nerve dysfunction culminating in encephalopathy: Edinburgh advanced clinical neurology course, 1999, **696**
diffusion weighted MRI, Neuronal damage in the interval form of CO poisoning determined by serial diffusion weighted magnetic resonance imaging plus ^{1}H-magnetic resonance spectroscopy, **250**
digital subtraction, How does the degree of carotid stenosis affect the accuracy and interobserver variability of magnetic resonance angiography?, **155**
diplopia, Precipitating factors in pituitary apoplexy, **542**
disability, The structural basis of moderate disability after traumatic brain damage, **521**
disease modifying treatment, Disease modifying treatment in multiple sclerosis: *Neurology in practice,* **ii20**
DNA sequences, JC virus regulatory region rearrangements in the brain of a long surviving patient with progressive multifocal leukoencephalopathy, **397**
dopaminergic therapy, Restless legs syndrome: *editorial,* **143**
dysphagia, Prospective study of swallowing function in patients with cervical dystonia undergoing selective peripheral denervation, **67**
dystonia, Obsessive-compulsive characteristics in patients with writer's cramp: *letter,* **413**
dystrophy, Reflex sympathetic dystrophy, **291**

early childhood convulsion, A magnetic resonance study of complicated early childhood convulsion, **638**
early onset parkinsonism, Three parkin gene mutations in a sibship with autosomal recessive early onset parkinsonism, **531**
echocardiography, Air embolism due to a patent foramen ovale visualised by harmonic contrast echocardiography, **555**
education, Acute care in neurosurgery: quantity, quality, and challenges, **182**
Cognitive function in the oldest old: women perform better than men, **29**
efficacy, Intensive voice treatment (LSVT®) for patients with Parkinson's disease: a 2 year follow up, **493**
elderly people, Cognitive function in the oldest old: women perform better than men, **29**
Cognitive function in the oldest old: women perform better than men: *commentary,* **6**
electric injury, Motor neuron disease after electric injury, **265**
electrical injury, Pathogenesis and recovery of tetraplegia after electrical injury, **535**
electroconvulsive therapy, Relation between electroconvulsive therapy, cognitive side effects, neuron specific enolase, and protein S-100, **394**
electroencephalogram, Monitoring an electroencephalogram for the safe application of therapeutic repetitive transcranial magnetic stimulation: *letter,* **559**
electron microscopy, Ultrastructural and immunocytochemical evidence that an incompetent blood-brain barrier is related to the pathophysiology of cavernous malformations, **188**
electrophysiological studies, Diagnostic investigation of patients with chronic polyneuropathy: evaluation of a clinical guideline, **205**
embryonic vessel, Splitting and penetration of the optic nerve by an aneurysm arising from the anterior wall of internal carotid artery: case report, **525**
Emil Heinrich Du Bois-Reymond, Emil Heinrich Du Bois-Reymond (1818–96), **620**
encephalitis, Late presentation of Nipah virus encephalitis and kinetics of the humoral immune response, **552**
encephalitis lethargica, Bilateral substantia nigra lesions on magnetic resonance imaging in a patient with encephalitis lethargica, **275**
encephalomyelitis, A 59 year old man with progressive spinal cord and peripheral nerve dysfunction culminating in encephalopathy: Edinburgh advanced clinical neurology course, 1999, **696**
endarterectomy, How does the degree of carotid stenosis affect the accuracy and interobserver variability of magnetic resonance angiography?, **155**
endovascular embolisation, Carotid cavernous fistula due to a ruptured intracavernous aneurysm of the internal carotid artery: treatment with selective endovascular occlusion of the aneurysm, **784**
enterogenous cyst, Intramedullary enterogenous cyst presenting with spastic paraparesis during two consecutive pregnancies: a case report, **528**
entorhinal cortex, Magnetic resonance imaging of the entorhinal cortex and hippocampus in mild cognitive impairment and Alzheimer's disease, **441**
The entorhinal cortex in Alzheimer's disease: *editorial,* **431**
epidemiology, Epidemiology of seropositive myasthenia gravis in Greece, **352**
epileptic agnosia, Early onset epileptic auditory and visual agnosia with spontaneous recovery associated with Tourette's syndrome: *letter,* **560**
epilepsy, Change in oxcarbazepine (Trileptal®) formulation is associated with more side effects and higher blood concentrations: *correspondence,* **708**
Paroxysmal hypertension during a complex partial seizure: *letter,* **132**
Reduced excitability of the motor cortex in untreated patients with de novo idiopathic "grand mal" seizures, **772**
Relation between electroconvulsive therapy, cognitive side effects, neuron specific enolase, and protein S-100, **394**
The dynamics of drug treatment in epilepsy: an observational study in an unselected population based cohort with newly diagnosed epilepsy followed up prospectively over 11–14 years, **632**

erectile dysfunction, Treatment of erectile dysfunction with sildenafil citrate (Viagra) in parkinsonism due to Parkinson's disease or multiple system atrophy with observations on orthostatic hypotension, **371**
ethics, Permanent vegetative state and the law: *Neurology in practice,* **i26**
evidence based, Evidence based medicine: concerns of a clinical neurologist: *editorial,* **569**
evoked potential, Prevention of spinal cord injury with time-frequency analysis of evoked potentials: an experimental study, **732**
executive function, Structural MRI volumetric analysis in patients with organic amnesia, 2: correlations with anterograde memory and executive tests in 40 patients, **23**
exon rearrangements, Three parkin gene mutations in a sibship with autosomal recessive early onset parkinsonism, **531**
experiential phenomena, Human "memories" can be evoked by stimulation of the lateral temporal cortex after ipsilateral medial temporal lobe resection, **549**
external anal sphincter, Motor evoked potentials from the external anal sphincter in patients with autosomal dominant pure spastic paraplegia linked to chromosome 2p: *letter,* **561**
extrapiramidal, Bilateral substantia nigra lesions on magnetic resonance imaging in a patient with encephalitis lethargica, **275**

face learning, Selective sparing of face learning in a global amnesic patient, **340**
facial nerve, Compression by looping and perforation of the facial nerve by the anterior inferior cerebellar artery: a possible cause of facial tic: *letter,* **133**
facial pain, Chronic facial pain: a multidisciplinary problem: *review,* **716**
facial paralysis, Ramsay Hunt syndrome: *review,* **149**
Familial amyotrophic lateral sclerosis, Normal complement of motor units in asymptomatic familial (SOD1 mutation) amyotrophic lateral sclerosis carriers, **478**
familial multiple sclerosis, Magnetisation transfer ratio analysis of normal appearing white matter in patients with familial and sporadic multiple sclerosis, **752**
fatal outcome, A 59 year old man with progressive spinal cord and peripheral nerve dysfunction culminating in encephalopathy: Edinburgh advanced clinical neurology course, 1999, **696**
fatigue, Symptomatic management and rehabilitation in multiple sclerosis: *Neurology in practice,* **ii22**
fistulas leaking CSF, A new nephelometric assay for β-trace protein (prostaglandin D synthase) as an indicator of liquorrhoea, **347**
five item Barthel Index, The five item Barthel index, **225**
focal dystonia, Health related quality of life is improved by botulinum neurotoxin type A in long term treated patients with focal dystonia, **193**
foramen ovale, Air embolism due to a patent foramen ovale visualised by harmonic contrast echocardiography, **555**
fou rire, "Fou rire prodromique" as the presentation of pontine ischaemia secondary to vertebrobasilar stenosis, **802**
Friedreich's ataxia, Friedreich's ataxia presenting as an isolated spastic paraparesis: *correspondence,* **709**
frontal lobe dysfunction, Neuropsychiatry of frontal lobe dysfunction in violent and criminal behaviour: a critical review: *review,* **720**
functional magnetic resonance imaging, Functional magnetic resonance imaging of working memory impairment after traumatic brain injury, **161**
Modality specific neural correlates of auditory and somatic hallucinations, **688**
functional MRI, Metabolic and electrophysiological validation of functional MRI, **762**
functional recovery, Relation between depression after stroke, antidepressant therapy, and functional recovery, **258**

gabapentin, Gabapentin but not vigabatrin is effective in the treatment of acquired nystagmus in multiple sclerosis: how valid is the GABAergic hypothesis?, **107**
galantamine, Effects of a flexible galantamine dose in Alzheimer's disease: a randomised, controlled trial, **589**
gastrectomy, Postgastrectomy polyneuropathy with thiamine deficiency, **357**
genetics, Maternal age is not a risk factor for Parkinson's disease: *letter,* **130**
Psychosis and aggression in Alzheimer's disease: the effect of dopamine receptor gene variation, **777**
Glasgow coma scale, Neurological assessment of coma: *Neurology in practice,* **i13**
Glasgow coma score, The prognosis of medical coma: *Neurology in practice,* **i20**
glial fibrillary acidic protein, Ultrastructural and immunocytochemical evidence that an incompetent blood-brain barrier is related to the pathophysiology of cavernous malformations, **188**
globus pallidus stimulation, Bilateral pallidotomy for treatment of Parkinson's disease induced corticobulbar syndrome and psychic akinesia avoidable by globus pallidus lesion combined with contralateral stimulation, **611**
glucose utilisation, Relations between hypometabolism in the posterior association neocortex and hippocampal atrophy in Alzheimer's disease: a PET/MRI correlative study, **315**
glutamate transporter, Impaired RNA splicing of 5'-regulatory sequences of the astroglial glutamate transporter EAAT2 in human astrocytoma, **675**
glutamic acid decarboxylase, Antibodies against glutamic acid decarboxylase: prevalence in neurological diseases, **100**
Guillain-Barré syndrome, Anti-GQ1b IgG antibody syndrome without ophthalmoplegia: clinical and immunological features: *correspondence,* **282**
Intravenous immune globulins in patients with Guillain-Barré syndrome and contraindications to plasma exchange: 3 days versus 6 days, **235**
Range of cross reactivity of anti-GM1 IgG antibody in Guillain-Barré syndrome, **123**

hangman's fracture, Smiling odontoid, **706**
Hashimoto's autoimmune thyroiditis, Ataxia associated with Hashimoto's disease: progressive non-familial adult onset cerebellar degeneration with autoimmune thyroiditis, **81**
head injury, Brain temperature, body core temperature, and intracranial pressure in acute cerebral damage, **448**
Mental health after head injury: *editorial,* **431**
The neurobehavioural rating scale-revised: sensitivity and validity in closed head injury assessment, **643**
The structural basis of moderate disability after traumatic brain damage, **521**
health measurement, The five item Barthel index, **225**
The SF-36 in multiple sclerosis: why basic assumptions must be tested, **363**
health outcomes, Can item response theory reduce patient burden when measuring health status in neurological disorders? Results from Rasch analysis of the SF-36 physical functioning scale (PF-10), **220**
health related quality of life, Health related quality of life is improved by botulinum neurotoxin type A in long term treated patients with focal dystonia, **193**
hearing impairment, Compression by looping and perforation of the facial nerve by the anterior inferior cerebellar artery: a possible cause of facial tic: *letter,* **133**
hearing loss, Postoperative hearing loss due to venous congestion at the inferior colliculus, or cochlear dysfunction?: *correspondence,* **135**
hemifacial spasm, Compression by looping and perforation of the facial nerve by the anterior inferior cerebellar artery: a possible cause of facial tic: *letter,* **133**
hemiparesis, Relation between brain displacement and local cerebral blood flow in patients with chronic subdural haematoma, **741**
hepatic encephalopathy, Preferential recruitment of ataxin-3 independent of expanded polyglutamine: an immunohistochemical study on Marinesco bodies, **518**
hereditary spastic paraparesis, A large family with hereditary spastic paraparesis due to a frame shift mutation of the spastin (SPG4) gene: association with multiple sclerosis in two affected siblings and epilepsy in other affected family members, **788**
hereditary spastic paraplegia, Motor evoked potentials from the external anal sphincter in patients with autosomal dominant pure spastic paraplegia linked to chromosome 2p: *letter,* **561**
herniation, Fixed and dilated pupils after trauma, stroke, and previous intracranial surgery: management and outcome, **175**
high acceleration rotation, Vestibular function in severe bilateral vestibulopathy, **53**
hippocampal sclerosis, A magnetic resonance study of complicated early childhood convulsion, **638**
hippocampectomy, Human "memories" can be evoked by stimulation of the lateral temporal cortex after ipsilateral medial temporal lobe resection, **549**
hippocampus, Ammon's horn and the hippocampus, **351**
Hippocampal involvement in identical twins with neurofibromatosis type 1: *letter,* **131**
Magnetic resonance imaging of the entorhinal cortex and hippocampus in mild cognitive impairment and Alzheimer's disease, **441**
Relations between hypometabolism in the posterior association neocortex and hippocampal atrophy in Alzheimer's disease: a PET/MRI correlative study, **315**
homovanillic acid, Biochemical alterations during medication withdrawal in Parkinson's disease with and without neuroleptic malignant-like syndrome, **111**
HTLV-1, Human T lymphotropic virus type I (HTLV-1) associated myelopathy acquired through a liver transplant: *letter,* **818**
HTLV-1 associated myelopathy (HSM), Human T lymphotropic virus type I (HTLV-1) associated myelopathy acquired through a liver transplant: *letter,* **818**
Huntington's disease, Neuropsychiatric aspects of Huntington's disease, **310**
5-hydroxyindole acetic acid, Biochemical alterations during medication withdrawal in Parkinson's disease with and without neuroleptic malignant-like syndrome, **111**
hypothalamus, Hypothalamic involvement in chronic migraine, **747**

idiopathic intracranial hypertension, Idiopathic intracranial hypertension: any light on the mechanism of the raised pressure?: *editorial,* **1**
IFN-γ, Relation between the high production related allele of the interferon-γ (IFN-γ) gene and age at onset of idiopathic Parkinson's disease in Japan: *letter,* **818**
immunoglobulin, Serum concentration of adhesion molecules in patients with delayed ischaemic neurological deficit after aneurysmal subarachnoid haemorrhage: the immunoglobulin and selectin superfamilies, **329**
infundibulohypophysitis, Infundibulohypophysitis in a man presenting with diabetes insipidus and cavernous sinus involvement, **798**
intention, Conflict of intentions due to callosal disconnection, **462**
interferon-β, Combination of cyclophosphamide and interferon-β halts progression in patients with rapidly transitional multiple sclerosis, **404**
internet, The differential diagnosis of multiple sclerosis: *Neurology in practice,* **ii9**
interstitial glycerol, Increase of interstitial glycerol reflects the degree of ischaemic brain damage: a PET and microdialysis study in a middle cerebral artery occlusion-reperfusion primate model, **455**
intracavernous aneurysm, Carotid cavernous fistula due to a ruptured intracavernous aneurysm of the internal carotid artery: treatment with selective endovascular occlusion of the aneurysm, **784**
intracranial aneurisms, What is the most sensitive non-invasive strategy for the diagnosis of intracranial aneurysms?: *commentary,* **289**
intracranial aneurysms, What is the most sensitive non-invasive imaging strategy for the diagnosis of intracranial aneurysms?, **322**
intracranial hypotension, Magnetic resonance imaging findings before and after treatment of spontaneous intracranial hypotension, **411**
intracranial neoplasms, Relapsing intracranial Rosai-Dorfman disease, **538**
intracranial pressure, Brain temperature, body core temperature, and intracranial pressure in acute cerebral damage, **448**
intracranial pressure monitoring, Clinical comparison of the Spiegelberg parenchymal transducer and ventricular fluid pressure, **383**
intramedullary cyst, Intramedullary enterogenous cyst presenting with spastic paraparesis during two consecutive pregnancies: a case report, **528**
intravenous immunoglobulin, Call for guidelines for monitoring renal function and haematological variables during intravenous infusion of immunoglobulin in neurological patients: *letter,* **562**
Intravenous immune globulins in patients with Guillain-Barré syndrome and contraindications to plasma exchange: 3 days versus 6 days, **235**
ischaemic brain damage, Increase of interstitial glycerol reflects the degree of ischaemic brain damage: a PET and microdialysis study in a middle cerebral artery occlusion-reperfusion primate model, **455**
item reduction, The five item Barthel index, **225**
item response theory, Can item response theory reduce patient burden when measuring health status in neurological disorders? Results from Rasch analysis of the SF-36 physical functioning scale (PF-10), **220**

JC virus, JC virus regulatory region rearrangements in the brain of a long surviving patient with progressive multifocal leukoencephalopathy, **397**
Jules Bernard Luys, The subthalamic nucleus and Jules Bernard Luys (1828–97), **783**

Kennedy syndrome, Cervical spondylotic myelopathy and Kennedy syndrome mimicking amyotrophic lateral sclerosis: *letter,* **414**

lacunar infarcts, Clinical study of 222 patients with pure motor stroke, **239**
laser evoked potentials, Usefulness of dorsal laser evoked potentials in patients with spinal cord damage: report of two cases, **792**
late whiplash syndrome, The late whiplash syndrome: a biopsychosocial approach: *correspondence,* **820**
law, Permanent vegetative state and the law: *Neurology in practice,* **i26**
lead poisoning, Lead poisoning from complementary and alternative medicine in multiple sclerosis: *correspondence,* **281**
lead toxicity, Peripheral neuropathy in chronic occupational inorganic lead exposure: a clinical and electrophysiological study, **200**
leg muscle EMG activity, Long term effects of locomotor training in spinal humans, **93**
leucopenia, Call for guidelines for monitoring renal function and haematological variables during intravenous infusion of immunoglobulin in neurological patients: *letter,* **562**
leukoencephalopathy, Cerebral lymphoma presenting as a leukoencephalopathy, **243**
levodopa, Proprioception in Parkinson's disease is acutely depressed by dopaminergic medications, **607**
Lewy body, The Lewy body, **214**
LHON, Leber's hereditary optic neuropathy (LHON/11778) with myoclonus: report of two cases, **813**
line bisection, Conflict and integration of spatial attention between disconnected hemispheres, **472**
liquorrhoea, A new nephelometric assay for β-trace protein (prostaglandin D synthase) as an indicator of liquorrhoea, **347**
liver transplant, Human T lymphotropic virus type I (HTLV-1) associated myelopathy acquired through a liver transplant: *letter,* **818**
liver transplantation, Type II (adult onset) citrullinaemia: clinical pictures and the therapeutic effect of liver transplantation, **663**
locked in syndrome, States related to or confused with coma: *Neurology in practice,* **i18**
locomotion, Long term effects of locomotor training in spinal humans, **93**
locomotor training, Long term effects of locomotor training in spinal humans: *commentary,* **6**
lymphoma, Combined systemic and intraventricular chemotherapy in primary CNS lymphoma: a pilot study, **118**

magnetic resonance angiography, Are two heads better than one?: *commentary,* **147**
How does the degree of carotid stenosis affect the accuracy and interobserver variability of magnetic resonance angiography?, **155**
What is the most sensitive non-invasive imaging strategy for the diagnosis of intracranial aneurysms?, **322**
magnetic resonance imaging, Bilateral substantia nigra lesions on magnetic resonance imaging in a patient with encephalitis lethargica, **275**
Cerebral lymphoma presenting as a leukoencephalopathy, **243**
"Hot cross bun" sign in a patient with parkinsonism secondary to presumed vasculitis: *letter,* **565**
Magnetic resonance imaging findings before and after treatment of spontaneous intracranial hypotension, **411**
Magnetisation transfer ratio analysis of normal appearing white matter in patients with familial and sporadic multiple sclerosis, **752**
Making the diagnosis of multiple sclerosis: *Neurology in practice,* **ii3**
Perimetric visual field and functional MRI correlation: implications for image-guided surgery in occipital brain tumours, **505**
Selective impairment of facial recognition due to a haematoma restricted to the right fusiform and lateral occipital region, **254**
Structural MRI volumetric analysis in patients with organic amnesia, 1: methods and comparative findings across diagnostic groups, **13**
Structural MRI volumetric analysis in patients with organic amnesia, 2: correlations with anterograde memory and executive tests in 40 patients, **23**
Symptomatic unruptured capillary telangiectasia of the brain stem: report of three cases and review of the literature, **390**
The differential diagnosis of multiple sclerosis: *Neurology in practice,* **ii9**
magnetic resonance spectroscopy, Cerebral metabolic impairment in patients with obstructive sleep apnoea: an independent association of obstructive sleep apnoea with white matter change, **334**
magnetisation transfer ratio, Magnetisation transfer ratio analysis of normal appearing white matter in patients with familial and sporadic multiple sclerosis, **752**
major depression, Prefrontal repetitive transcranial magnetic stimulation as add on treatment in depression, **546**
malignancy, Polyamine metabolism in brain tumours: diagnostic relevance of quantitative biochemistry, **88**
maternal age, Maternal age is not a risk factor for Parkinson's disease: *letter,* **130**
MELAS syndrome, Cochlear implantation in a profoundly deaf patient with MELAS syndrome: *letter,* **281**
melatonin, Hypothalamic involvement in chronic migraine, **747**
memory, Human "memories" can be evoked by stimulation of the lateral temporal cortex after ipsilateral medial temporal lobe resection, **549**
Structural MRI volumetric analysis in patients with organic amnesia, 1: methods and comparative findings across diagnostic groups, **13**
Structural MRI volumetric analysis in patients with organic amnesia, 2: correlations with anterograde memory and executive tests in 40 patients, **23**
The volumes of memory: *commentary,* **5**
mental health, Mental health after head injury: *editorial,* **431**
metaiodobenzyl guanidine, A clinical role for [^{123}I]MIBG myocardial scintigraphy in the distinction between dementia of the Alzheimer's-type and dementia with Lewy bodies, **583**
3-methoxy-4-hydroxyphenylethylene glycol, Biochemical alterations during medication withdrawal in Parkinson's disease with and without neuroleptic malignant-like syndrome, **111**
microdialysis, Increase of interstitial glycerol reflects the degree of ischaemic brain damage: a PET and microdialysis study in a middle cerebral artery occlusion-reperfusion primate model, **455**
Microdialytical monitoring of uric and ascorbic acids in the brains of patients after severe brain injury and during neurovascular surgery, **169**

middle cerebral artery, Evidence based medicine: concerns of a clinical neurologist: *editorial,* **569**
mild cognitive impairment, Magnetic resonance imaging of the entorhinal cortex and hippocampus in mild cognitive impairment and Alzheimer's disease, **441**
Miller Fisher syndrome, Bickerstaff's encephalitis and the Miller Fisher syndrome, **433**
Transcranial magnetic stimulation studies in the Miller Fisher syndrome: evidence of corticospinal tract abnormality, **210**
mitochondria, Leber's hereditary optic neuropathy (LHON/11778) with myoclonus: report of two cases, **813**
mitochondrial DNA, mtDNA mutations in Chilean patients with optic neuropathy: *letter,* **707**
mitochondrial DNA haplotypes, mtDNA mutations in Chilean patients with optic neuropathy: *letter,* **707**
mitochondrial encephalomyopathies, Mitochondrial DNA rearrangements in young onset parkinsonism: two case reports, **685**
motor cortex, Metabolic and electrophysiological validation of functional MRI, **762**
motor evoked potentials, Motor evoked potentials from the external anal sphincter in patients with autosomal dominant pure spastic paraplegia linked to chromosome 2p: *letter,* **561**
motor learning, Long term effects of locomotor training in spinal humans, **93**
motor neuron disease, Motor neuron disease after electric injury, **265**
Primary lateral sclerosis: clinical, neurophysiological, and magnetic resonance findings, **615**
motor unit number estimation, Normal complement of motor units in asymptomatic familial (SOD1 mutation) amyotrophic lateral sclerosis carriers, **478**
movement disorders, Outcome of unilateral pallidotomy in advanced Parkinson's disease: cohort study of 32 patients, **375**
Regression of ventral striatum hypometabolism after calcium/calcitriol therapy in paroxysmal kinesigenic choreoathetosis due to idiopathic primary hypoparathyroidism, **691**
moyamoya disease, Accessory middle cerebral artery and moyamoya disease: *letter,* **129**
mtDNA deletions, Mitochondrial DNA rearrangements in young onset parkinsonism: two case reports, **685**
multiple meningioma, Relapsing intracranial Rosai-Dorfman disease, **538**
multiple sclerosis, A large family with hereditary spastic paraparesis due to a frame shift mutation of the spastin (SPG4) gene: association with multiple sclerosis in two affected siblings and epilepsy in other affected family members, **788**
Combination of cyclophosphamide and interferon-β halts progression in patients with rapidly transitional multiple sclerosis, **404**
Disease modifying treatment in multiple sclerosis: *Neurology in practice,* **ii20**
Gabapentin but not vigabatrin is effective in the treatment of acquired nystagmus in multiple sclerosis: how valid is the GABAergic hypothesis?, **107**
Making the diagnosis of multiple sclerosis: *Neurology in practice,* **ii3**
Multiple sclerosis in sibling pairs: an analysis of 250 families, **757**
Neurology in practice: multiple sclerosis: *Neurology in practice,* **ii1**
No association between multiple sclerosis and the Notch3 gene responsible for cerebral autosomal dominant arteriopathy with subcortical infarcts and leukoencephalopathy (CADASIL), **97**
Symptomatic management and rehabilitation in multiple sclerosis: *Neurology in practice,* **ii22**
The differential diagnosis of multiple sclerosis: *Neurology in practice,* **ii9**
The differential diagnosis of multiple sclerosis: *Neurology in practice,* **ii9**
The range of multiple sclerosis associated with neurofibromatosis type 1, **679**
The SF-36 in multiple sclerosis: why basic assumptions must be tested, **363**
multiple system atrophy, Quantitative anal sphincter EMG in multisystem atrophy and 100 controls, **596**
Sphincter EMG in possible multiple system atrophy: to do or not to do?: *editorial,* **575**
Treatment of erectile dysfunction with sildenafil citrate (Viagra) in parkinsonism due to Parkinson's disease or multiple system atrophy with observations on orthostatic hypotension, **371**
Videodynamic and sphincter motor unit potential analyses in Parkinson's disease and multiple system atrophy: *editorial,* **575**
Videourodynamic and sphincter motor unit potential analyses in Parkinson's disease and multiple system atrophy, **600**
multiple system degeneration, Homozygous deletion mutation of the parkin gene in patients with atypical parkinsonism, **231**
musical hallucinosis, Complex musical hallucinosis in a professional musician with a left subcortical haemorrhage: *letter,* **280**
myasthenia gravis, Brain stem compression by a giant vertebrobasilar aneurysm mimicking seronegative myasthenia: *lesson of the month,* **125**
Epidemiology of seropositive myasthenia gravis in Greece, **352**
myelin basic protein, Intraoperative values of S-100 protein, myelin basic protein, lactate, and albumin in the CSF and serum of neurosurgical patients, **671**
myelophaty, Human T lymphotropic virus type I (HTLV-1) associated myelopathy acquired through a liver transplant: *letter,* **818**
myoclonus, Leber's hereditary optic neuropathy (LHON/11778) with myoclonus: report of two cases, **813**
myopathy, Response to botulinum toxin in a case of rigid spine syndrome : *letter,* **564**

neglect, Conflict and integration of spatial attention between disconnected hemispheres, **472**
Right side neglect in right cerebellar lesion, **114**
neprilysin, Lack of association of neprilysin polymorphism with Alzheimer's disease and Alzheimer's disease-type neuropathological changes: *letter,* **817**
nerve conduction studies, Long and short of nerve conduction measures: reproducibility for sequential assessments: *editorial,* **427**
neurobehavioural sequelae, The neurobehavioural rating scale-revised: sensitivity and validity in closed head injury assessment, **643**
neuroendoscopy, Neuropsychological and psychiatric complications in endoscopic third ventriculostomy: a clinical case report, **268**
neurofibromatosis, The range of multiple sclerosis associated with neurofibromatosis type 1, **679**
neurofibromatosis type 1, Hippocampal involvement in identical twins with neurofibromatosis type 1: *letter,* **131**
neurogenic bladder dysfunction, Autonomic dysreflexia due to neurogenic bladder dysfunction; an unusual presentation of spinal cord sarcoidosis: *letter,* **819**
neurogenic incontinence, Symptomatic management and rehabilitation in multiple sclerosis: *Neurology in practice,* **ii22**
neuroleptic malignant-like syndrome, Biochemical alterations during medication withdrawal in Parkinson's disease with and without neuroleptic malignant-like syndrome, **111**
Neurological stamp, Christjaan Eijkman (1858–1930), **230**
Emil Adolph von Behring (1854–1917) and Shibasaburo Kitasato (1852–1931), **62**
Jean Martin Charcot (1825–93) and Jean Baptiste Charcot(1867–1936), **524**
Phineas Gage and the science of brain localisation, **761**
Robert Debre (1882–1978), **670**
Willem Einthoven (1860–1927), **407**
neurology, Randomised controlled trial of telemedicine for new neurological outpatient referrals, **63**
neuromuscular disease, Epidemiology of seropositive myasthenia gravis in Greece, **352**
neuronal intranuclear inclusion, Preferential recruitment of ataxin-3 independent of expanded polyglutamine: an immunohistochemical study on Marinesco bodies, **518**
neuronavigation, Perimetric visual field and functional MRI correlation: implications for image-guided surgery in occipital brain tumours, **505**
neuron-specific enolase, Relation between electroconvulsive therapy, cognitive side effects, neuron specific enolase, and protein S-100, **394**
neuropathological change, Lack of association of neprilysin polymorphism with Alzheimer's disease and Alzheimer's disease-type neuropathological changes: *letter,* **817**
neuropathology, The structural basis of moderate disability after traumatic brain damage, **521**
neuropathy, Postgastrectomy polyneuropathy with thiamine deficiency, **357**
neuropsychiatric phenomena, Neuropsychiatric phenomena in Alzheimer's disease: *editorial,* **715**
neuropsychiatry, Advances in neuropsychiatry: *editorial,* **712**
Neuropsychiatric aspects of Huntington's disease, **310**
neuropsychological complications, Neuropsychological and psychiatric complications in endoscopic third ventriculostomy: a clinical case report, **268**
neuropsychology, Outcome of unilateral pallidotomy in advanced Parkinson's disease: cohort study of 32 patients, **375**
neurosurgery, Acute care in neurosurgery: quantity, quality, and challenges, **182**
Intraoperative values of S-100 protein, myelin basic protein, lactate, and albumin in the CSF and serum of neurosurgical patients, **671**
nicotinic receptors, Effects of a flexible galantamine dose in Alzheimer's disease: a randomised, controlled trial, **589**
Nipah virus, Late presentation of Nipah virus encephalitis and kinetics of the humoral immune response, **552**
non-Alzheimer's dementia, Occupation during life and risk of dementia in French elderly community residents, **303**
non-disseminated demyelination, The differential diagnosis of multiple sclerosis: *Neurology in practice,* **ii9**
non-traumatic coma, An aid to predicting prognosis in patients with non-traumatic coma at one day, **24**
Notch3 gene, No association between multiple sclerosis and the Notch3 gene responsible for cerebral autosomal dominant arteriopathy with subcortical infarcts and leukoencephalopathy (CADASIL), **97**

nuclear magnetic resonance, Magnetic resonance markers of ischaemia: their correlation with vasodilatory reserve in patients with carotid artery stenosis and occlusion, **58**

obsessive-compulsive disorder, Obsessive-compulsive characteristics in patients with writer's cramp: *letter,* **413**
occipital subdural haematoma, Spontaneous occipital subdural haematoma: *editorial,* **127**
occipital tumour, Perimetric visual field and functional MRI correlation: implications for image-guided surgery in occipital brain tumours, **505**
occlusion, Clinical features of transient monocular blindness and the likelihood of atherosclerotic lesions of the internal carotid artery, **247**
occupational category, Occupation during life and risk of dementia in French elderly community residents, **303**
oculocephalic response, Neurological assessment of coma: *Neurology in practice,* **i13**
odontoid process, Smiling odontoid, **706**
oligoclonal bands, Making the diagnosis of multiple sclerosis: *Neurology in practice,* **ii3**
omentum, Prospective study of omental transposition in patients with chronic spinal injury, **73**
ophthalmoplegia, Carotid cavernous fistula due to a ruptured intracavernous aneurysm of the internal carotid artery: treatment with selective endovascular occlusion of the aneurysm, **784**
optic nerve, Splitting and penetration of the optic nerve by an aneurysm arising from the anterior wall of internal carotid artery: case report, **525**
optic neuritis, The differential diagnosis of multiple sclerosis: *Neurology in practice,* **ii9**
optic neuropathy, mtDNA mutations in Chilean patients with optic neuropathy: *letter,* **707**
orbitofrontal cortex, Neurocognitive models of aggression, the antisocial personality disorders, and psychopathy: *review,* **727**
organophosphate insecticides, Variant Creutzfeldt-Jakob disease is not associated with individual abilities to metabolise organophosphates: *letter,* **558**
ornithine decarboxylase (ODC), Polyamine metabolism in brain tumours: diagnostic relevance of quantitative biochemistry, **88**
orthostatic hypotension, Treatment of erectile dysfunction with sildenafil citrate (Viagra) in parkinsonism due to Parkinson's disease or multiple system atrophy with observations on orthostatic hypotension, **371**
outcome, Prospective study of omental transposition in patients with chronic spinal injury, **73**
outcome measures, The neurobehavioural rating scale-revised: sensitivity and validity in closed head injury assessment, **643**
oxcarbazepine, Change in oxcarbazepine (Trileptal®) formulation is associated with more side effects and higher blood concentrations: *correspondence,* **708**

pain, Painful stimulation: *correspondence,* **416**
pallidotomy, Neuropsychological effects of pallidotomy in patients with Parkinson's disease: *letter,* **563**
paraneoplastic limbic encephalitis, Memory lost, memory regained: neuropsychological findings and neuroimaging in two cases of paraneoplastic limbic encephalitis with radically different outcomes, **40**
parkin, Homozygous deletion mutation of the parkin gene in patients with atypical parkinsonism, **231**
parkin gene, Three parkin gene mutations in a sibship with autosomal recessive early onset parkinsonism, **531**
parkinsonism, Occupation during life and risk of dementia in French elderly community residents, **303**
"Hot cross bun" sign in a patient with parkinsonism secondary to presumed vasculitis: *letter,* **565**
Quantitative anal sphincter EMG in multisystem atrophy and 100 controls, **596**
Parkinson's disease, Biochemical alterations during medication withdrawal in Parkinson's disease with and without neuroleptic malignant-like syndrome, **111**
Deep brain stimulation of the subthalamic nucleus in Parkinson's disease: effects of variation in stimulation parameters, **215**
Intensive voice treatment (LSVT®) for patients with Parkinson's disease: a 2 year follow up, **493**
Long term safety and efficacy of unilateral deep brain stimulation of the thalamus for parkinsonian tremor, **682**
Maternal age is not a risk factor for Parkinson's disease: *letter,* **130**
Mitochondrial DNA rearrangements in young onset parkinsonism: two case reports, **685**
Neuropsychological effects of pallidotomy in patients with Parkinson's disease: *letter,* **563**
Proprioception in Parkinson's disease is acutely depressed by dopaminergic medications, **607**
Relation between the high production related allele of the interferon-γ (IFN-γ) gene and age at onset of idiopathic Parkinson's disease in Japan: *letter,* **818**
Treatment of erectile dysfunction with sildenafil citrate (Viagra) in parkinsonism due to Parkinson's disease or multiple system atrophy with observations on orthostatic hypotension, **371**
Videodynamic and sphincter motor unit potential analyses in Parkinson's disease and multiple system atrophy: *editorial,* **575**
Videourodynamic and sphincter motor unit potential analyses in Parkinson's disease and multiple system atrophy, **600**
paroxysmal kinesigenic choreoathetosis, Regression of ventral striatum hypometabolism after calcium/calcitriol therapy in paroxysmal kinesigenic choreoathetosis due to idiopathic primary hypoparathyroidism, **691**
paroxysmal kinesigenic dyskinesia, Increased ictal perfusion of the thalamus in paroxysmal kinesigenic dyskinesia, **408**
pathological laughter, "Fou rire prodromique" as the presentation of pontine ischaemia secondary to vertebrobasilar stenosis, **802**
perimetric evaluation, Perimetric visual field and functional MRI correlation: implications for image-guided surgery in occipital brain tumours, **505**
periodic limb movements, Restless legs syndrome: *editorial,* **143**
peripheral neuropathy, Diagnosis of chronic peripheral neuropathy: *commentary,* **147**
Peripheral neuropathy in chronic occupational inorganic lead exposure: a clinical and electrophysiological study, **200**
permanent vegetative state, Permanent vegetative state and the law: *Neurology in practice,* **i26**
persistent vegetative state, The prognosis of medical coma: *Neurology in practice,* **i20**
PET, Relations between hypometabolism in the posterior association neocortex and hippocampal atrophy in Alzheimer's disease: a PET/MRI correlative study, **315**
phenylketonuria, Phenylketonuria presenting in adulthood as progressive spastic paraparesis with dementia, **795**
physical functioning, Can item response theory reduce patient burden when measuring health status in neurological disorders? Results from Rasch analysis of the SF-36 physical functioning scale (PF-10), **220**
physiotherapy, Symptomatic management and rehabilitation in multiple sclerosis: *Neurology in practice,* **ii22**
pituitary apoplexy, Precipitating factors in pituitary apoplexy, **542**
polyamines, Polyamine metabolism in brain tumours: diagnostic relevance of quantitative biochemistry, **88**
polymorphism, Prion protein gene polymorphism and Alzheimer's disease: one modulatory trait of cognitive decline?: *letter,* **279**
Relation between the high production related allele of the interferon-γ (IFN-γ) gene and age at onset of idiopathic Parkinson's disease in Japan: *letter,* **818**
PON polymorphic variants, Variant Creutzfeldt-Jakob disease is not associated with individual abilities to metabolise organophosphates: *letter,* **558**
population based cohort, The dynamics of drug treatment in epilepsy: an observational study in an unselected population based cohort with newly diagnosed epilepsy followed up prospectively over 11–14 years, **632**
porphyria, Peripheral neuropathy in chronic occupational inorganic lead exposure: a clinical and electrophysiological study, **200**
poststroke depression, Relation between depression after stroke, antidepressant therapy, and functional recovery, **258**
posture, Interference between postural control and mental task performance in patients with vestibular disorder and healthy controls, **48**
power spectrum, Blood pressure and heart rate variability and baroreflex sensitivity before and after brain death, **621**
prefrontal area, Prefrontal repetitive transcranial magnetic stimulation as add on treatment in depression, **546**
presenilin 1, Very early onset Alzheimer's disease with spastic paraparesis associated with a novel presenilin 1 mutation (Phe237Ile): *letter,* **556**
presurgical planning, Metabolic and electrophysiological validation of functional MRI, **762**
primary hypoparathyroidism, Regression of ventral striatum hypometabolism after calcium/calcitriol therapy in paroxysmal kinesigenic choreoathetosis due to idiopathic primary hypoparathyroidism, **691**
primary lateral sclerosis, Primary lateral sclerosis: clinical, neurophysiological, and magnetic resonance findings, **615**
prion diseases, New variant Creutzfeldt-Jakob disease presenting with loss of taste and smell: *letter,* **412**
prion protein, Prion protein gene polymorphism and Alzheimer's disease: one modulatory trait of cognitive decline?: *letter,* **279**
Proceedings of the Annual Meeting of the British Neuropsychiatry Association, Proceedings of the Annual Meeting of the British Neuropsychiatry Association, the Institute of Child Health, central London, 15–16 February 2001, **138**
prognosis, An aid to predicting prognosis in patients with non-traumatic coma at one day, **24**
Fixed and dilated pupils after trauma, stroke, and previous intracranial surgery: management and outcome, **175**
The prognosis of medical coma: *Neurology in practice,* **i20**
progressive multifocal leukoencephalopathy, JC virus regulatory region rearrangements in the brain of a long surviving patient with progressive multifocal leukoencephalopathy, **397**
progressive spastic paraperesis, Phenylketonuria presenting in adulthood as progressive spastic paraparesis with dementia, **795**
prolactin, Hypothalamic involvement in chronic migraine, **747**

proprioception, Proprioception in Parkinson's disease is acutely depressed by dopaminergic medications, **607**
prosopagnosia, Selective impairment of facial recognition due to a haematoma restricted to the right fusiform and lateral occipital region, **254**
protein S-100, Relation between electroconvulsive therapy, cognitive side effects, neuron specific enolase, and protein S-100, **394**
proton magnetic resonance spectroscopy, Neuronal damage in the interval form of CO poisoning determined by serial diffusion weighted magnetic resonance imaging plus ^{1}H-magnetic resonance spectroscopy, **250**
psychiatric comorbidity, Social phobia in spasmodic torticollis, **499**
psychic akinesia, Bilateral pallidotomy for treatment of Parkinson's disease induced corticobulbar syndrome and psychic akinesia avoidable by globus pallidus lesion combined with contralateral stimulation, **611**
psychometric methods, The five item Barthel index, **225**
pupil, Fixed and dilated pupils after trauma, stroke, and previous intracranial surgery: management and outcome, **175**
pure motor stroke, Clinical study of 222 patients with pure motor stroke, **239**

quantitative electromyography, Quantitative anal sphincter EMG in multisystem atrophy and 100 controls, **596**

Ramsay Hunt syndrome, Ramsay Hunt syndrome: *review,* **149**
randomised clinical trials, The neurobehavioural rating scale-revised: sensitivity and validity in closed head injury assessment, **643**
randomised controlled trial, Randomised controlled trial of telemedicine for new neurological outpatient referrals, **63**
randomised trial, Intravenous immune globulins in patients with Guillain-Barré syndrome and contraindications to plasma exchange: 3 days versus 6 days, **235**
randomised trials, Evidence based medicine: concerns of a clinical neurologist: *editorial,* **569**
Rasch analysis, Can item response theory reduce patient burden when measuring health status in neurological disorders? Results from Rasch analysis of the SF-36 physical functioning scale (PF-10), **220**
recovery after electrical injury, Pathogenesis and recovery of tetraplegia after electrical injury, **535**
reflex, Reflex sympathetic dystrophy, **291**
rehabilitation, Symptomatic management and rehabilitation in multiple sclerosis: *Neurology in practice,* **ii22**
relapsing remitting disease, Making the diagnosis of multiple sclerosis: *Neurology in practice,* **ii3**
REM sleep, Absence of nystagmus during REM sleep in patients with vestibular neuritis, **386**
renal failure, Call for guidelines for monitoring renal function and haematological variables during intravenous infusion of immunoglobulin in neurological patients: *letter,* **562**
repetitive transcranial magnetic stimulation, Monitoring an electroencephalogram for the safe application of therapeutic repetitive transcranial magnetic stimulation: *letter,* **559**
reproducibility, Long and short of nerve conduction measures: reproducibility for sequential assessments: *editorial,* **427**
restless legs syndrome, Restless legs syndrome: *editorial,* **143**
right fusiform gyrus, Selective impairment of facial recognition due to a haematoma restricted to the right fusiform and lateral occipital region, **254**
rigid spine syndrome, Response to botulinum toxin in a case of rigid spine syndrome : *letter,* **564**
risk, Maternal age is not a risk factor for Parkinson's disease: *letter,* **130**
risk factor, Occupation during life and risk of dementia in French elderly community residents, **303**
RNA, Impaired RNA splicing of 5'-regulatory sequences of the astroglial glutamate transporter EAAT2 in human astrocytoma, **675**
roller coaster ride, An unexpected consequence of a roller coaster ride, **704**
Rosai-Dorfman, Relapsing intracranial Rosai-Dorfman disease, **538**

S-100, Intraoperative values of S-100 protein, myelin basic protein, lactate, and albumin in the CSF and serum of neurosurgical patients, **671**
saccades, Absence of nystagmus during REM sleep in patients with vestibular neuritis, **386**
schizophrenia, Dementia as a complication of schizophrenia: *correspondence,* **707**
seizure, Monitoring an electroencephalogram for the safe application of therapeutic repetitive transcranial magnetic stimulation: *letter,* **559**
selectin, Serum concentration of adhesion molecules in patients with delayed ischaemic neurological deficit after aneurysmal subarachnoid haemorrhage: the immunoglobulin and selectin superfamilies, **329**
selective peripheral denervation, Prospective study of swallowing function in patients with cervical dystonia undergoing selective peripheral denervation, **67**
semantic memory, Memory lost, memory regained: neuropsychological findings and neuroimaging in two cases of paraneoplastic limbic encephalitis with radically different outcomes, **40**
sequential assessments, Long and short of nerve conduction measures: reproducibility for sequential assessments: *editorial,* **427**
sertraline, Prefrontal repetitive transcranial magnetic stimulation as add on treatment in depression, **546**
serum ceruloplasmin, A new neurological entity manifesting as involuntary movements and dysarthria with possible abnormal copper metabolism, **780**
serum copper, A new neurological entity manifesting as involuntary movements and dysarthria with possible abnormal copper metabolism, **780**
sex, Cognitive function in the oldest old: women perform better than men, **29**
SF-36, Can item response theory reduce patient burden when measuring health status in neurological disorders? Results from Rasch analysis of the SF-36 physical functioning scale (PF-10), **220**
The SF-36 in multiple sclerosis: why basic assumptions must be tested, **363**
sibling pair, Multiple sclerosis in sibling pairs: an analysis of 250 families, **757**
single photon emission computed tomography, Selective impairment of facial recognition due to a haematoma restricted to the right fusiform and lateral occipital region, **254**
sinus histiocytosis, Relapsing intracranial Rosai-Dorfman disease, **538**
sleep, Neurology in practice: sleep and coma: *Neurology in practice,* **i1**
sleep apnoea, The sleepy patient: *Neurology in practice,* **i3**
sleep apnoea syndromes, Cerebral metabolic impairment in patients with obstructive sleep apnoea: an independent association of obstructive sleep apnoea with white matter change, **334**
sleep deprivation, Cortical excitability and sleep deprivation: a transcranial magnetic stimulation study, **809**
sleepiness, The sleepy patient: *Neurology in practice,* **i3**
smell, New variant Creutzfeldt-Jakob disease presenting with loss of taste and smell: *letter,* **412**
social drinker, Alcohol consumption and frontal lobe shrinkage: study of 1432 non-alcoholic subjects, **104**
social phobia, Social phobia in spasmodic torticollis, **499**
SOD1 mutation., Normal complement of motor units in asymptomatic familial (SOD1 mutation) amyotrophic lateral sclerosis carriers, **478**
somatic hallucinations, Modality specific neural correlates of auditory and somatic hallucinations, **688**
spasmodic torticollis, Role of the vestibular system in the pathophysiology of spasmodic torticollis: *editorial,* **285**
spastic paraparesis, Intramedullary enterogenous cyst presenting with spastic paraparesis during two consecutive pregnancies: a case report, **528**
Very early onset Alzheimer's disease with spastic paraparesis associated with a novel presenilin 1 mutation (Phe237Ile): *letter,* **556**
spasticity, Symptomatic management and rehabilitation in multiple sclerosis: *Neurology in practice,* **ii22**
spastin, A large family with hereditary spastic paraparesis due to a frame shift mutation of the spastin (SPG4) gene: association with multiple sclerosis in two affected siblings and epilepsy in other affected family members, **788**
spatial attention, Asymmetries of visual attention after circumscribed subcortical vascular lesions, **652**
spatial disorders, Right side neglect in right cerebellar lesion, **114**
SPECT, Increased ictal perfusion of the thalamus in paroxysmal kinesigenic dyskinesia, **408**
spectroscopy, Magnetic resonance markers of ischaemia: their correlation with vasodilatory reserve in patients with carotid artery stenosis and occlusion, **58**
sphincter ani, Quantitative anal sphincter EMG in multisystem atrophy and 100 controls, **596**
sphincter motor unit potential analyses, Videodynamic and sphincter motor unit potential analyses in Parkinson's disease and multiple system atrophy: *editorial,* **575**
spinal cord infarct, Peripheral axonal motor degeneration after spinal cord infarct: *editorial,* **128**
spinal cord injury, Long term effects of locomotor training in spinal humans, **93**
Long term effects of locomotor training in spinal humans: *commentary,* **6**
Prevention of spinal cord injury with time-frequency analysis of evoked potentials: an experimental study, **732**
Prospective study of omental transposition in patients with chronic spinal injury, **73**
spinal cord lesions, Usefulness of dorsal laser evoked potentials in patients with spinal cord damage: report of two cases, **792**
spinal cord sarcoidosis, Autonomic dysreflexia due to neurogenic bladder dysfunction; an unusual presentation of spinal cord sarcoidosis: *letter,* **819**
spinothalamic tract, Usefulness of dorsal laser evoked potentials in patients with spinal cord damage: report of two cases, **792**
splicing, Impaired RNA splicing of 5'-regulatory sequences of the astroglial glutamate transporter EAAT2 in human astrocytoma, **675**
spontaneous nystagmus, Absence of nystagmus during REM sleep in patients with vestibular neuritis, **386**

steno-occlusive change, Accessory middle cerebral artery and moyamoya disease: *letter,* **129**
stenosis, Clinical features of transient monocular blindness and the likelihood of atherosclerotic lesions of the internal carotid artery, **247**
steroids: acute transverse myelopathy: encephalomyelitis, Efficacy of high dose steroid therapy in children with severe acute transverse myelitis, **272**
stiff man syndrome, Antibodies against glutamic acid decarboxylase: prevalence in neurological diseases, **100**
stroke, Complex musical hallucinosis in a professional musician with a left subcortical haemorrhage: *letter,* **280**
Evidence based medicine: concerns of a clinical neurologist: *editorial,* **569**
Plasticity after acute ischaemic stroke studied by transcranial magnetic stimulation: *editorial,* **713**
stupor, States related to or confused with coma: *Neurology in practice,* **i18**
subarachnoid haemorrhage, Brain temperature, body core temperature, and intracranial pressure in acute cerebral damage, **448**
Serum concentration of adhesion molecules in patients with delayed ischaemic neurological deficit after aneurysmal subarachnoid haemorrhage: the immunoglobulin and selectin superfamilies, **329**
subclavian steal syndrome, Vertigo and amaurosis fugax secondary to Takayasu's arteritis, **276**
substantia nigra, Bilateral substantia nigra lesions on magnetic resonance imaging in a patient with encephalitis lethargica, **275**
subthalamic nucleus, Deep brain stimulation of the subthalamic nucleus in Parkinson's disease: effects of variation in stimulation parameters, **215**
The subthalamic nucleus and Jules Bernard Luys (1828–97), **783**
suicide, Suicide after traumatic brain injury: a population study, **436**
sustained downgaze, Sustained downgaze in coma after cardiac arrest: *letter,* **278**
sympathetic, Reflex sympathetic dystrophy, **291**
sympathetic nervous system, Paroxysmal hypertension during a complex partial seizure: *letter,* **132**
systemic lupus erythematosus, The differential diagnosis of multiple sclerosis: *Neurology in practice,* **ii9**

Takayasu's arteritis, Vertigo and amaurosis fugax secondary to Takayasu's arteritis, **276**
taste, New variant Creutzfeldt-Jakob disease presenting with loss of taste and smell: *letter,* **412**
tau protein, Highly increased CSF tau protein and decreased β-amyloid (1–42) in sporadic CJD: a discrimination from Alzheimer's disease?, **401**
telangiectasia, Symptomatic unruptured capillary telangiectasia of the brain stem: report of three cases and review of the literature, **390**
telemedicine, Randomised controlled trial of telemedicine for new neurological outpatient referrals, **63**
temporal lobe epilepsy, A magnetic resonance study of complicated early childhood convulsion, **638**
tests of scaling assumptions, The SF-36 in multiple sclerosis: why basic assumptions must be tested, **363**
tetraplegia after electrical injury, Pathogenesis and recovery of tetraplegia after electrical injury, **535**
thalamus, Increased ictal perfusion of the thalamus in paroxysmal kinesigenic dyskinesia, **408**
therapy, Combined systemic and intraventricular chemotherapy in primary CNS lymphoma: a pilot study, **118**
thiamine, Postgastrectomy polyneuropathy with thiamine deficiency, **357**
third ventriculostomy, Neuropsychological and psychiatric complications in endoscopic third ventriculostomy: a clinical case report, **268**
time frequency analysis, Prevention of spinal cord injury with time-frequency analysis of evoked potentials: an experimental study, **732**
topiramate, Effects of topiramate on cognition: *correspondence,* **134**
Tourette's syndrome, Early onset epileptic auditory and visual agnosia with spontaneous recovery associated with Tourette's syndrome: *letter,* **560**
β-trace protein A new nephelometric assay for β-trace protein (prostaglandin D synthase) as an indicator of liquorrhoea, **347**
transcranial magnetic stimulation, Cortical excitability and sleep deprivation: a transcranial magnetic stimulation study, **809**
Plasticity after acute ischaemic stroke studied by transcranial magnetic stimulation: *editorial,* **713**
Prefrontal repetitive transcranial magnetic stimulation as add on treatment in depression, **546**
Reduced excitability of the motor cortex in untreated patients with de novo idiopathic "grand mal" seizures, **772**
transcranial power Doppler, What is the most sensitive non-invasive imaging strategy for the diagnosis of intracranial aneurysms?, **322**
transient monocular blindness, Clinical features of transient monocular blindness and the likelihood of atherosclerotic lesions of the internal carotid artery, **247**
trauma, Microdialytical monitoring of uric and ascorbic acids in the brains of patients after severe brain injury and during neurovascular surgery, **169**
traumatic brain injury, Functional magnetic resonance imaging of working memory impairment after traumatic brain injury, **161**
Suicide after traumatic brain injury: a population study, **436**
treatment, Evidence based medicine: concerns of a clinical neurologist: *editorial,* **569**
Prospective study of omental transposition in patients with chronic spinal injury, **73**
The dynamics of drug treatment in epilepsy: an observational study in an unselected population based cohort with newly diagnosed epilepsy followed up prospectively over 11–14 years, **632**
tremor, Long term safety and efficacy of unilateral deep brain stimulation of the thalamus for parkinsonian tremor, **682**
trigeminal autonomic cephalgia, Basilar artery aneurysm with autonomic features: an interesting pathophysiological problem, **805**
trigeminal-autonomic cephalagias, Lunchtime headache: *letter,* **415**
trigeminovascular system, Basilar artery aneurysm with autonomic features: an interesting pathophysiological problem, **805**

ubiquitin, Preferential recruitment of ataxin-3 independent of expanded polyglutamine: an immunohistochemical study on Marinesco bodies, **518**
urea cycle disorder; hepatic encephalopathy, Type II (adult onset) citrullinaemia: clinical pictures and the therapeutic effect of liver transplantation, **663**
uric acid, Microdialytical monitoring of uric and ascorbic acids in the brains of patients after severe brain injury and during neurovascular surgery, **169**
urinary copper excretion, A new neurological entity manifesting as involuntary movements and dysarthria with possible abnormal copper metabolism, **780**
urinary dysfunction, Videourodynamic and sphincter motor unit potential analyses in Parkinson's disease and multiple system atrophy, **600**

variant Creutzfeldt-Jakob disease, New variant Creutzfeldt-Jakob disease presenting with loss of taste and smell: *letter,* **412**
Variant Creutzfeldt-Jakob disease is not associated with individual abilities to metabolise organophosphates: *letter,* **558**
vascular anomalies, Symptomatic unruptured capillary telangiectasia of the brain stem: report of three cases and review of the literature, **390**
vasculitis, "Hot cross bun" sign in a patient with parkinsonism secondary to presumed vasculitis: *letter,* **565**
vegetative state, States related to or confused with coma: *Neurology in practice,* **i18**
ventilation, The effect of non-invasive positive pressure ventilation (NIPPV) on cognitive function in amyotrophic lateral sclerosis (ALS): a prospective study, **482**
ventral striatum, Regression of ventral striatum hypometabolism after calcium/calcitriol therapy in paroxysmal kinesigenic choreoathetosis due to idiopathic primary hypoparathyroidism, **691**
vestibular, Interference between postural control and mental task performance in patients with vestibular disorder and healthy controls, **48**
vestibular neuritis, Absence of nystagmus during REM sleep in patients with vestibular neuritis, **386**
vestibular system, Role of the vestibular system in the pathophysiology of spasmodic torticollis: *editorial,* **285**
vestibulo-ocular reflex, Vestibular function in severe bilateral vestibulopathy, **53**
Viagra, Treatment of erectile dysfunction with sildenafil citrate (Viagra) in parkinsonism due to Parkinson's disease or multiple system atrophy with observations on orthostatic hypotension, **371**
videourodynamic study, Videourodynamic and sphincter motor unit potential analyses in Parkinson's disease and multiple system atrophy, **600**
vigabatrin, Gabapentin but not vigabatrin is effective in the treatment of acquired nystagmus in multiple sclerosis: how valid is the GABAergic hypothesis?, **107**
violence, Neuropsychiatry of frontal lobe dysfunction in violent and criminal behaviour: a critical review: *review,* **720**
visual cortex, A disorder of colour perception associated with abnormal colour after-images: a defect of the primary visual cortex, **515**
Perimetric visual field and functional MRI correlation: implications for image-guided surgery in occipital brain tumours, **505**
visual loss, Precipitating factors in pituitary apoplexy, **542**
visual search, Asymmetries of visual attention after circumscribed subcortical vascular lesions, **652**
voice treatment, Intensive voice treatment (LSVT®) for patients with Parkinson's disease: a 2 year follow up, **493**
volumetrics, Structural MRI volumetric analysis in patients with organic amnesia, 1: methods and comparative findings across diagnostic groups, **13**
Structural MRI volumetric analysis in patients with organic amnesia, 2: correlations with anterograde memory and executive tests in 40 patients, **23**

VZV, Ramsay Hunt syndrome: *review,* **149**

white matter disease, Cerebral metabolic impairment in patients with obstructive sleep apnoea: an independent association of obstructive sleep apnoea with white matter change, **334**
Wilson's disease, A new neurological entity manifesting as involuntary movements and dysarthria with possible abnormal copper metabolism, **780**
working memory, Functional magnetic resonance imaging of working memory impairment after traumatic brain injury, **161**
world wide web, The differential diagnosis of multiple sclerosis: *Neurology in practice,* **ii9**
writer's cramp, Obsessive-compulsive characteristics in patients with writer's cramp: *letter,* **413**

zoster oticus, Ramsay Hunt syndrome: *review,* **149**